

CITY OF FAYETTEVILLE REQUEST FOR QUOTES



Lot Cleaning, Asbestos Abatement & Demolition

**Various Addresses
(104 Fleishman St., 419 Hall St., 429 Chatham St.,
1299 Bingham Dr., and 5329 Murchison Rd.)**

COF1517018

ISSUED: July 22, 2026

DUE: August 25, 2026

The City of Fayetteville is soliciting bids for lot cleaning at:

104 Fleishman St., 419 Hall St., 429 Chatham St.,

1299 Bingham Dr., and 5329 Murchison Rd.

Funding Source: Local

**ISSUED BY:
CITY OF FAYETTEVILLE**

**PRIMARY CONTACT:
KIMBERLY TOON, PURCHASING MANGER
kimberlytoon@fayettevillenc.gov**

(910) 433-1942

OFFERORS ARE NOT REQUIRED TO RETURN THIS FORM.



A message from the City of Fayetteville City Manager, Dr. Douglas J. Hewett, ICMA-CM

The City of Fayetteville is fully committed to providing Small Local Business Enterprises (SLBEs) and small businesses an equal opportunity to participate in all aspects of City contracting, including but not limited to participation in the procurement of contracts relating to construction, professional services, equipment, supplies, and improvements to facilities throughout the City.

It is the policy of the City to prohibit discrimination against any person or business in pursuit of these opportunities on the basis of race, sex, color, religion, national origin, age, or disability, and to conduct its contracting and purchasing programs so as to prevent such discrimination. The City is committed to following all applicable federal, state, and local laws as they relate to procurement practices.

Small Business Participation Commitment

The City will actively seek and identify qualified small businesses, including SLBEs, and offer them the opportunity to participate in the procurement of contracts for all City purchasing and service contracts as well as construction and repair contracts. The City aspires to spend 40% of its eligible contract dollars with small local suppliers and contractors.

Small Business Enterprise Program

The City's Charter has been amended by the General Assembly (H.B. 198) to establish a small business enterprise program to promote the development of small local businesses. The City is authorized to establish bid and proposal specifications that include measures to enhance participation by small business enterprises located in Cumberland and Hoke Counties, including:

- Arranging solicitations, specifications, and contract requirements to facilitate small business participation
- Providing technical assistance and capacity building programs
- Carrying out information and communication programs on contracting procedures and opportunities
- Implementing outreach programs to identify and engage qualified small businesses
- Offering supportive services to help small businesses compete effectively
- Ensuring prompt payment to subcontractors
- Simplifying bonding and insurance requirements where appropriate

Federal and State-Funded Projects - Important Notice

In accordance with state directive following the U.S. Department of Transportation's October 3, 2025 Interim Final Rule to 49 CFR Part 26:

FAYETTEVILLE

AMERICA'S CAN DO CITY

For Federally-Funded Contracts:

- No DBE goals may be established for federally-funded contracts until further guidance is provided by the state
- All existing DBE certifications are in suspended status pending Unified Certification Program (UCP) reevaluation under new individualized disadvantage standards
- Firms are not required to submit DBE participation commitments at this time

For State-Funded Contracts:

- No MB/WBE goals may be established for state-funded contracts until further guidance is provided by the state

The City will continue to facilitate participation by all qualified small businesses through the measures listed above and will resume DBE and MB/WBE program activities once the state provides further guidance.


Equal Opportunity for All

The City is committed to:

- Providing equal access to contracting opportunities for all qualified businesses
- Removing barriers to small business participation
- Supporting economic development and capacity building in our community
- Ensuring fair and open competition in all procurements
- Maintaining compliance with all applicable federal, state, and local requirements
- Supporting diversity in our supplier and contractor base

For more information or questions about the SLBE policy, please contact the Purchasing Division at 910-433-1942.

CITY OF FAYETTEVILLE



Dr. Douglas J. Hewett, ICMA-CM
City Manager

NOTICE TO BIDDERS

Pursuant to N.C.G.S. 143-129 sealed proposals will be received by the City of Fayetteville, until **2:00 p.m., August 25, 2026**, at City Hall, 433 Hay Street, Fayetteville, North Carolina, at which time they will be considered for the purchase of the following:

**Demolition, Asbestos Abatement & Lot Cleaning
(104 Fleishman St., 419 Hall St., 429 Chatham St.,
1299 Bingham Dr., and 5329 Murchison Rd. Fayetteville, NC)**

Bids may be mailed to the City Purchasing Office, Attn: Kimberly Toon, 433 Hay Street Fayetteville, NC 28301, or may be delivered in person or by express mail to 433 Hay Street, Fayetteville, NC 28301.

The bid opening will be held at **2:00 p.m. on August 25, 2026**, at City Hall, 433 Hay Street, Fayetteville, NC 28301, for the project entitled, "**Demolition, Asbestos Abatement & Lot Cleaning: (104 Fleishman St., 419 Hall St., 429 Chatham St., 1299 Bingham Dr., and 5329 Murchison Rd. Fayetteville, NC).**"

Plans, specifications and bid documents may be obtained in the Purchasing Office of the City of Fayetteville, 2nd floor, City Hall, 433 Hay Street, Fayetteville, North Carolina, between the hours of 8:00 a.m. and 5:00 p.m., Monday through Friday or by email request to kimberlytoon@fayettevillenc.gov

The City reserves the right to reject any or all bids and to waive all informalities concerning bid or award bid to the lowest, responsive, responsible bidder or bidders, taking into consideration quality, performance and the time specified in the proposals for the performance of the contract.

City of Fayetteville

Kimberly Toon,
CLGPO Purchasing
Manager

Lot Cleaning, Asbestos Abatement & Demolition Bid Request

7/10/2026

The City of Fayetteville Housing and Code Enforcement Division is requesting lot cleaning, demolition & asbestos abatement bids to include, if necessary, all costs to conduct noted work on the properties listed below.

Scope of Work – Demolition Services

The Contractor shall furnish all labor, materials, equipment, and supervision necessary to complete the demolition and site restoration work described herein. The bid price shall include, but not be limited to, the following:

1. Demolition

The Contractor shall demolish and remove all primary and accessory structures on the property, including but not limited to wells, pump houses, fences, walls, signs, sign poles, foundations, basements, footings, pools, walkways, steps, and slabs, where applicable.

2. Removal of Personal Property and Debris

The Contractor shall remove and properly dispose of all items remaining on site, including trailers, box trailers, junk vehicles, storage containers, construction materials, and fencing.

3. Pavement

Unless otherwise specified in writing, all existing asphalt and concrete parking areas and driveways shall remain undisturbed.

4. Grading and Restoration

All disturbed areas shall be graded smooth and stabilized to ensure proper drainage. Excavated areas shall be backfilled with approved material to match existing grades. All disturbed and former slab areas shall be seeded and mulched with straw.

5. Vegetation Clearing

The Contractor shall remove all rubbish, debris, and overgrowth from the site, including tall grass, weeds, underbrush, limbs, logs, fallen trees, and organic debris piles. Vegetation shall be cut to property lines. All trees and saplings measuring less than three (3) inches in diameter shall be removed. No other large trees shall be disturbed.

Failure to fully clear vegetation may result in rejection of demolition work.

6. Disposal

All materials and debris shall be transported and disposed of at approved landfills or recycling/processing facilities. Documentation of disposal (dump tickets or receipts) shall be submitted prior to final payment.

7. Safety and Site Requirements

The Contractor shall install and maintain demolition security fencing as required (**5329 MURCHISON RD**). Where applicable, a site plan identifying fire hydrant location shall be provided to meet permitting requirements.

8. Hazardous Materials

The Contractor shall include all costs associated with the identification and abatement of asbestos-containing materials. All such work must be performed by properly licensed personnel in accordance with applicable regulations.

9. Permits and Compliance

The Contractor shall obtain, at their own expense, all necessary permits, licenses, bonds, insurance, inspections, engineering, and approvals required to complete the work. All work shall comply with applicable local, state, and federal laws, codes, and regulations.

10. Schedule

All work shall be completed within thirty (30) calendar days from issuance of the Notice to Proceed, unless otherwise approved in writing. The Contractor shall coordinate required inspections with the City at both project commencement and completion.

11. Assignment

The Contractor shall not assign, transfer, or subcontract any portion of this Agreement without prior written consent from the City, except for properly licensed asbestos abatement services.

-
- 1) 104 FLEISHMAN ST, PIN: 0419-20-9979-** This project is for City of Fayetteville Code Enforcement and is the result of a Council approved demolition ordinance. Residential structure. Upon inspection and testing, asbestos containing building materials needing abatement **WAS** found. Detailed report is included. **ACRES: 0.14**
 - 2) 419 HALL ST, PIN: 0437-61-2196-** This project is for City of Fayetteville Code Enforcement and is the result of a Council approved demolition ordinance. Residential structure. Upon inspection and testing, asbestos containing building materials needing abatement **WAS** found. Detailed report is included. **ACRES: 0.23**
 - 3) 429 CHATHAM ST, PIN: 0437-56-3989-** This project is for City of Fayetteville Code Enforcement and is the result of a Council approved demolition ordinance. Residential structure. Upon inspection and testing, asbestos containing building materials needing abatement **WAS NOT** found. Detailed report is included. **ACRES: 0.19**
 - 4) 1299 BINGHAM DR, PIN: 0406-47-5257-** This project is for City of Fayetteville Code Enforcement and is the result of a Council approved demolition ordinance. Residential structure. Upon inspection and testing, asbestos containing building materials needing abatement **WAS** found. Detailed report is included. **ACRES: 0.19**
 - 5) 5329 MURCHISON RD, PIN: 0429-15-5344-** This project is for City of Fayetteville Code Enforcement and is the result of a Council approved demolition ordinance. Commercial structure. Upon inspection and testing, asbestos containing building materials needing abatement **WAS NOT** found. Detailed report is included. **ACRES: 0.83**
 - 6) END OF LIST////**

Bidders shall submit all quotes on Bid Proposal Package Form	
Submit by Mail:	Submit in Person:
City of Fayetteville	City Hall Offices
Purchasing Division	2 nd Floor Purchasing Division
433 Hay Street, Fayetteville, NC 28301-5337	433 Hay Street, Fayetteville, NC 28301-5337
Attn: Kimberly Toon, Purchasing Manager	Attn: Kimberly Toon, Purchasing Manager
Submittal Deadline: 2:00 PM EST, August 25, 2026	

If you have questions, please contact:

Kimberly Toon, CLGPO Purchasing Manager at COFBiddingQuestions@FayettevilleNC.gov

CITY OF FAYETTEVILLE
Demolition, Asbestos Abatement & Lot Cleaning

(104 Fleishman St., 419 Hall St., 429 Chatham St.,
1299 Bingham Dr., and 5329 Murchison Rd. Fayetteville, NC)

BID PROPOSAL PACKAGE FORM

The undersigned hereby proposes to furnish materials and perform the work for this project per the items listed herein in strict accordance with the Standard Specifications, contained in the documents for the consideration of prices quoted for the enclosed contract items.

THE CITY RESERVES THE RIGHT TO ELIMINATE OR ADD TO THIS CONTRACT.

ALL PRICES ARE TO INCLUDE NC SALES AND USE TAXES

This Bid Package is executed by:

Name: _____ Title: _____

Company Name: _____

Address: _____ Email: _____

Signature: _____ Phone Number: _____

License Number: _____

Address	Bid Amount
104 FLEISHMAN ST, Fayetteville NC	\$
419 HALL ST, Fayetteville NC	\$
429 CHATHAM ST, Fayetteville NC	\$
1299 BINGHAM DR, Fayetteville NC	\$
5329 MURCHISON RD, Fayetteville NC	\$

ACKNOWLEDGMENT OF ADDENDA

The vendor has received, acknowledged, and used the following addenda in completing the Proposal.
(Initial and Date as appropriate)

Addendum No. 1	_____	Dated: _____
Addendum No. 2	_____	Dated: _____
Addendum No. 3	_____	Dated: _____

BIDDER'S CHECKLIST

This checklist shall be included as the first page of the submitted bidding documents. As outlined in the Bid Proposal, the following items shall be included with the fully executed Bid Proposal.

- **If any of these documents are not included with the Bid Proposal, then the Proposal will automatically be deemed non-responsive, and excluded from consideration:**

A	Registration with the North Carolina Secretary of State	
B	Certificate of Insurance – Valid or Issued within the 30 days	
C	Three References	
D	Safety protocols and incident prevention measures	
E	Copy of General Contracting License (required only if the proposal exceeds \$40,000)	
F	Documented demolition projects in the past 3 years	
G	Listing of heavy equipment and description needed to complete the project along with ownership status	
H	Physical location of the property	

Filed Ordinance – 429 Chatham

OK12536 PG0452

FILED
CUMBERLAND COUNTY NC
ANDRA S. BREWINGTON
REGISTER OF DEEDS
FILED May 28, 2026
AT 11:18:09 am
BOOK 12536
START PAGE 0452
END PAGE 0454
INSTRUMENT # 17495
RECORDING \$26.00
EXCISE TAX (None)

JEM

AN ORDINANCE OF THE CITY COUNCIL OF FAYETTEVILLE, NORTH CAROLINA

Requiring the City Building Inspector
to correct conditions with respect to,
or to demolish and remove a structure
pursuant to the

Dwellings and Buildings Minimum Standards
Code of the City of Fayetteville, NC

Return: City of Fayetteville / Ursula Cain

The City Council of Fayetteville, North Carolina, does ordain:

NS2026-0116

The City Council finds the following facts:

- (1) With respect to Chapter 14 of the Dwellings and Buildings Minimum Standards Code of the City of Fayetteville, NC, concerning certain real property described as follows:

429 Chatham Street
PIN 0437-56-3989-

LEGAL: In the Town of Fayetteville, on Chatham Street, and Fayetteville and Wilson Railroad (now the Atlantic Coast Line) being a part of Union Square, beginning at a stone on the west edge of Chatham Street, corner of railroad lot, bought of Dallas Perry, thence South 96 degrees East 70 feet to a corner on the said Street, thence North 87½ West to a point on the railroad right of way with feet of center of tract, thence along the line of the said right of way 72 feet to said Railroad lot, thence along this line of said lot, South 87½ East one hundred twenty-six feet to the beginning, being the northern portion of Lot Number two on McDuffie Plot, bought by said Jeremiah Moore, from D.N. McLean.

Excepting from the above described tract a tract of thirty feet on the rear of the above described lot heretofore conveyed to the Atlantic Coast Line and used as a right of way for said Railroad.

The owner(s) of and parties in interest in said property are:

Unknown Heirs of Albert McClain; Allene McLean-Smith; Natalie Smith;
Alvina Smith Wilson; William H. Smith, Jr.; Yvonne Bruiniester; Valerie Bolling
c/o Earline Patterson-McClain
1536 Palmer Drive
Fayetteville, NC 28303

Unknown Heirs of William Gene McLean; Mattie Lee McLean Wade; George Ann Smith Goodridge;
Charles E. Smith; Dashonda R. McLean
c/o Louray McLean
987 Hillsboro Street
Pittsboro, NC 27312

Wayne Banks
900 Hastings Lane NE, Apt A
Brookhaven, MS 39601

Yvonne McClain-Smith
100 Lee Road, Apt. 620
Auburn, AL 36832

Toney McClain
25 Forrest Hills Court
Sanford, NC 27332

David Thomas
1549 Coldwater Reserve Xing
Severn, MD 21144

Yvonne McClain Ward
350 Laurel Road
Spring Lake, NC 28390

Gregory Thomas
4609 Magnolia Drive
Suffolk, VA 23435

- (2) All due process and all provisions of the Dwellings and Buildings Minimum Standards Code of the City of Fayetteville, NC having been followed, the Hearing Official duly issued and served an order requiring the owners of said property to complete certain repairs or demolish the structure on or before April 28, 2026.
- (3) And said owners without lawful cause, failed or refused to comply with said order; and the Code Enforcement Official is authorized by said Code, and the North Carolina General Statutes § 160D-1203(5), when ordered by Ordinance of the City Council, to do with respect to said property what said owners were so ordered to do, but did not.
- (4) The City Council has been provided with information regarding the entire record of said Hearing Official, and finds, that all findings of fact and all orders of said Hearing Official are true and authorized.
- (5) That pursuant to the North Carolina General Statutes § 160D-1203(7), the cost of the demolition shall be a lien against the real property upon which the cost was incurred.

Whereupon it is ordained that:

SECTION 1

The Code Enforcement Official is ordered forthwith to accomplish, with respect to said property, precisely and fully what was ordered by said Hearing Official as set forth fully above, except as modified in the following particulars:

This property is to be demolished, and all debris removed from the premises, and the cost of said removal shall be a lien against the real property as described herein.

SECTION 2

The lien as ordered herein and permitted by the North Carolina General Statutes § 160D-1203(7), shall be effective from and after the date the work is completed and shall have priority as provided by law, and a record of the same shall be available in the office of the City of Fayetteville Finance Department, Collections Division, 2nd Floor - City, 433 Hay Street, Fayetteville, NC 28301.

BK12536 PG0454

SECTION 3

This ordinance shall be in full force and effect from and after its adoption.

Adopted this 26th day of May 2026.

CITY OF FAYETTEVILLE



[Signature]
Mitch Colvin, Mayor

ATTEST:

[Signature]
Jennifer L. Ayre, City Clerk

Filed Ordinance – 104 Fleishman Street

812536 P60455

FILED
CUMBERLAND COUNTY NC
ANDRA S. BREWINGTON
REGISTER OF DEEDS
FILED May 28, 2026
AT 11:18:33 am
BOOK 12536
START PAGE 0455
END PAGE 0456
INSTRUMENT # 17496
RECORDING \$26.00
EXCISE TAX (None)
AS

AN ORDINANCE OF THE CITY COUNCIL OF FAYETTEVILLE, NORTH CAROLINA

Requiring the City Building Inspector
to correct conditions with respect to,
or to demolish and remove a structure
pursuant to the
Dwellings and Buildings Minimum Standards
Code of the City of Fayetteville, NC

Return to: City of Fayetteville, NC / Ursula Cain
The City Council of Fayetteville, North Carolina, does ordain:

NS2026-04

The City Council finds the following facts:

- (1) With respect to Chapter 14 of the Dwellings and Buildings Minimum Standards Code of the City of Fayetteville, NC, concerning certain real property described as follows:

104 Fleishman Street
PIN 0419-20-9979-

LEGAL: BEING all of Lot 24 as shown on a plat entitled "FLEISHMAN ST.," and
the same being duly recorded in Book of Plats 152, Page 115, of the Cumberland County
Registry

The owner(s) of and parties in interest in said property are:

V Capital, LLC
2543 Ravenhill Drive, Suite A
Fayetteville, NC 28303

- (2) All due process and all provisions of the Dwellings and Buildings Minimum Standards Code of the City of Fayetteville, NC having been followed, the Hearing Official duly issued and served an order requiring the owners of said property to complete certain repairs or demolish the structure on or before April 28, 2026.
- (3) And said owners without lawful cause, failed or refused to comply with said order; and the Code Enforcement Official is authorized by said Code, and the North Carolina General Statutes § 160D-1203(5), when ordered by Ordinance of the City Council, to do with respect to said property what said owners were so ordered to do, but did not.
- (4) The City Council has been provided with information regarding the entire record of said Hearing Official, and finds, that all findings of fact and all orders of said Hearing Official are true and authorized.

- (5) That pursuant to the North Carolina General Statutes § 160D-1203(7), the cost of the demolition shall be a lien against the real property upon which the cost was incurred.

Whereupon it is ordained that:

SECTION 1

The Code Enforcement Official is ordered forthwith to accomplish, with respect to said property, precisely and fully what was ordered by said Hearing Official as set forth fully above, except as modified in the following particulars:

This property is to be demolished, and all debris removed from the premises, and the cost of said removal shall be a lien against the real property as described herein.

SECTION 2

The lien as ordered herein and permitted by the North Carolina General Statutes § 160D-1203(7), shall be effective from and after the date the work is completed and shall have priority as provided by law, and a record of the same shall be available in the office of the City of Fayetteville Finance Department, Collections Division, 2nd Floor - City, 433 Hay Street, Fayetteville, NC 28301.

SECTION 3

This ordinance shall be in full force and effect from and after its adoption.

Adopted this 25th day of May 2026.

ATTEST:

Jennifer L. Ayre, City Clerk



BY:

CITY OF FAYETTEVILLE

Mitch Colvin, Mayor

Filed Ordinance – 419 Hall Street

BK 12536 PG 0448

FILED
CUMBERLAND COUNTY NC
ANDRA S. BREWINGTON
REGISTER OF DEEDS
FILED May 28, 2026
AT 11:16:03 am
BOOK 12536
START PAGE 0448
END PAGE 0449
INSTRUMENT # 17493
RECORDING \$26.00
EXCISE TAX (None)

SG

AN ORDINANCE OF THE CITY COUNCIL OF FAYETTEVILLE, NORTH CAROLINA

Requiring the City Building Inspector
to correct conditions with respect to,
or to demolish and remove a structure
pursuant to the

Dwellings and Buildings Minimum Standards
Code of the City of Fayetteville, NC

Return: City of Fayetteville - Ursula Cain
The City Council of Fayetteville, North Carolina, does ordain:

NS2026-015

The City Council finds the following facts:

- (1) With respect to Chapter 14 of the Dwellings and Buildings Minimum Standards Code of the City of Fayetteville, NC, concerning certain real property described as follows:

419 Hall Street
PIN 0437-61-2196-

LEGAL: Beginning at a stake in the eastern edge of Hall or Lakeview Street, in the line of the cotton mill property, and runs thence eastwardly with the mill property line and the original line of the tract of which this is a part, to a stake, a corner in the western margin of a 10 foot alley; thence northwardly with the western margin of said alley, 63 feet to a stake, a corner thence westwardly with the dividing line between Lot Numbers 7 and 9, 141 feet to a stake in the eastern margin of Hall or Lakeview Street; thence with the eastern margin of Hall or Lakeview Street 74 feet to the beginning. The same being Lot No.9 in Block C of the J.J. Hall property.

Less and except:

BEGINNING at the southwest corner of Lot 9 Block "C" as recorded in Plat Book F6, Page 271, Cumberland County Registry, said point lying on the eastern right-of-way margin of Hall Street (formerly Lakeview Street); thence with said street margin North 23 degrees 25 minutes 34 seconds East 73.16 feet to the northwest corner of the aforementioned lot; thence with the northern margin of said lot South 66 degrees 39 minutes 49 seconds East 1.62 feet; thence as the new eastern right-of-way margin of Hall Street South 22 degrees 48 minutes 29 seconds West 49.42 feet; thence southward on a curvature to the left with a radius of 381.50 feet for an arc distance 23.53 feet to the southern margin of the parcel of which this is a part; thence North 70 degrees 59 minutes 49 seconds West 3.14 feet to the Beginning ... containing 153 square feet, more or less.

The owner(s) of and parties in interest in said property are:

Katrina Adams
4947 Wye Branch Road
Newton Grove, NC 28366

- (2) All due process and all provisions of the Dwellings and Buildings Minimum Standards Code of the City of Fayetteville, NC having been followed, the Hearing Official duly issued and served an order requiring the owners of said property to complete certain repairs or demolish the structure on or before April 21, 2026.
- (3) And said owners without lawful cause, failed or refused to comply with said order; and the Code Enforcement Official is authorized by said Code, and the North Carolina General Statutes § 160D-1203(5), when ordered by Ordinance of the City Council, to do with respect to said property what said owners were so ordered to do, but did not.
- (4) The City Council has been provided with information regarding the entire record of said Hearing Official, and finds, that all findings of fact and all orders of said Hearing Official are true and authorized.
- (5) That pursuant to the North Carolina General Statutes § 160D-1203(7), the cost of the demolition shall be a lien against the real property upon which the cost was incurred.

Whereupon it is ordained that:

SECTION 1

The Code Enforcement Official is ordered forthwith to accomplish, with respect to said property, precisely and fully what was ordered by said Hearing Official as set forth fully above, except as modified in the following particulars:

This property is to be demolished, and all debris removed from the premises, and the cost of said removal shall be a lien against the real property as described herein.

SECTION 2

The lien as ordered herein and permitted by the North Carolina General Statutes § 160D-1203(7), shall be effective from and after the date the work is completed and shall have priority as provided by law, and a record of the same shall be available in the office of the City of Fayetteville Finance Department, Collections Division, 2nd Floor - City, 433 Hay Street, Fayetteville, NC 28301.

SECTION 3

This ordinance shall be in full force and effect from and after its adoption.

Adopted this 26th day of May 2026.

ATTEST:

Jennifer L. Ayre, City Clerk



BY:

CITY OF FAYETTEVILLE

Mitch Colvin, Mayor

Filed Ordinance – 5329 Murchison Road

BK12514 PG0220

FILED
CUMBERLAND COUNTY NC
ANDRA S. BREWINGTON
REGISTER OF DEEDS
FILED May 01, 2026
AT 02:44:35 pm
BOOK 12514
START PAGE 0220
END PAGE 0221
INSTRUMENT # 14307
RECORDING \$26.00
EXCISE TAX (None)
MD

Return:
City of Fayetteville
Wishia Cain

AN ORDINANCE OF THE CITY COUNCIL
OF
FAYETTEVILLE, NORTH CAROLINA

Requiring the City Building Inspector
to correct conditions with respect to,
or to demolish and remove a structure
pursuant to the
Dwellings and Buildings Minimum Standards
Code of the City of Fayetteville, NC

The City Council of Fayetteville, North Carolina, does ordain:

The City Council finds the following facts:

NS2626-011

- (1) With respect to Chapter 14 of the Dwellings and Buildings Minimum Standards Code of the City of Fayetteville, NC, concerning certain real property described as follows:

5329 Murchison Road
PIN 0429-15-5344-

LEGAL: BEGINNING at an iron pipe in the western margin of the Murchison Road at its intersection with the southern margin of Alpine Street, a corner of Lot No. 7 of MOUNT OLIVE Sub-DIVISION: Part I REVISED as per plat recorded in Plat Book 18 at Page 70 in the Registry for Cumberland County, and running thence with the margin of Alpine Street North 78 degrees 34 minutes West 95 feet to an iron pipe in the southern margin of Alpine Street, another corner of said Lot No. 7; thence continuing with the southern margin of Alpine Street South 59 degrees 00 minutes West 129.96 feet to an iron pipe, the north-west corner of said Lot No. 7; thence South 31 degrees 00 minutes East with the eastern boundary of Lots 14, 15 and 16 of said subdivision, 194.03 feet to an iron pipe, which corner is South 31 degrees 00 minutes East 30 feet from the southwestern corner of Lot 6 of said subdivision and in the East line of Lot 16 and the western line of Lot No. 5; thence North 59 degrees 00 minutes East 200 feet to an iron pipe in the western margin of the Murchison Road; thence with the western margin of said Murchison Road, North 31 degrees 00 minutes West 130 feet to the BEGINNING, and being all of Lots 6 and 7 and the northern 30 feet of Lot No. 5 of MOUNT OLIVE Sub-DIVISION: Part I REVISED as per plat recorded in Plat Book 18 at Page 70 in the Registry for Cumberland County.

The owner(s) of and parties in interest in said property are:

Fuad Alsaidi
6924 Edelweiss Place
Fayetteville, NC 28306

- (2) All due process and all provisions of the Dwellings and Buildings Minimum Standards Code of the City of Fayetteville, NC having been followed, the Hearing Official duly issued and served an order requiring the owners of said property to complete certain repairs or demolish the structure on or before March 1, 2026.
- (3) And said owners without lawful cause, failed or refused to comply with said order; and the Code Enforcement Official is authorized by said Code, and the North Carolina General Statutes § 160D-1203(5), when ordered by Ordinance of the City Council, to do with respect to said property what said owners were so ordered to do, but did not.
- (4) The City Council has been provided with information regarding the entire record of said Hearing Official, and finds, that all findings of fact and all orders of said Hearing Official are true and authorized.
- (5) That pursuant to the North Carolina General Statutes § 160D-1203(7), the cost of the demolition shall be a lien against the real property upon which the cost was incurred.

Whereupon it is ordained that:

SECTION 1

The Code Enforcement Official is ordered forthwith to accomplish, with respect to said property, precisely and fully what was ordered by said Hearing Official as set forth fully above, except as modified in the following particulars:

This property is to be demolished, and all debris removed from the premises, and the cost of said removal shall be a lien against the real property as described herein.

SECTION 2

The lien as ordered herein and permitted by the North Carolina General Statutes § 160D-1203(7), shall be effective from and after the date the work is completed and shall have priority as provided by law, and a record of the same shall be available in the office of the City of Fayetteville Finance Department, Collections Division, 2nd Floor - City, 433 Hay Street, Fayetteville, NC 28301.

SECTION 3

This ordinance shall be in full force and effect from and after its adoption.

Adopted this 27th day of April 2026.

ATTEST:

Jennifer L. Ayre, City Clerk



BY:

CITY OF FAYETTEVILLE

Mitch Colvin, Mayor

Filed Ordinance – 5329 Bingham Drive

BK12514 PG0218

FILED
CUMBERLAND COUNTY NC
ANDRA S. BREWINGTON
REGISTER OF DEEDS
FILED May 01, 2026
AT 02:44:35 pm
BOOK 12514
START PAGE 0218
END PAGE 0219
INSTRUMENT # 14306
RECORDING \$26.00
EXCISE TAX (None)
MD

Return:
City of Fayetteville/
Mrs. J. Cain

AN ORDINANCE OF THE CITY COUNCIL OF FAYETTEVILLE, NORTH CAROLINA

Requiring the City Building Inspector
to correct conditions with respect to,
or to demolish and remove a structure
pursuant to the
Dwellings and Buildings Minimum Standards
Code of the City of Fayetteville, NC

The City Council of Fayetteville, North Carolina, does ordain:

The City Council finds the following facts:

NS2026-010

- (1) With respect to Chapter 14 of the Dwellings and Buildings Minimum Standards Code of the City of Fayetteville, NC, concerning certain real property described as follows:

1299 Bingham Drive
PIN 0406-47-5257-

LEGAL: BEING all of Lot One (1) as shown on plat entitled "PROPERTY OF
METHODIST CHURCH MISSION BOARD" duly recorded in Book of Plats 44, Page
30, Cumberland County, North Carolina, Registry.

Less and except all that property described in Deed Book 7761, Page 314, of the Cumberland County
Registry.

The owner(s) of and parties in interest in said property are:

Jonathan Hall Elliot
2275 Elliott Farm Road
Fayetteville, NC 28311

- (2) All due process and all provisions of the Dwellings and Buildings Minimum Standards Code of the City of Fayetteville, NC having been followed, the Hearing Official duly issued and served an order requiring the owners of said property to complete certain repairs or demolish the structure on or before February 9, 2026.
- (3) And said owners without lawful cause, failed or refused to comply with said order; and the Code Enforcement Official is authorized by said Code, and the North Carolina General Statutes § 160D-1203(5), when ordered by Ordinance of the City Council, to do with respect to said property what said owners were so ordered to do, but did not.

BK12514 PG0219

- (4) The City Council has been provided with information regarding the entire record of said Hearing Official, and finds, that all findings of fact and all orders of said Hearing Official are true and authorized.
- (5) That pursuant to the North Carolina General Statutes § 160D-1203(7), the cost of the demolition shall be a lien against the real property upon which the cost was incurred.

Whereupon it is ordained that:

SECTION 1

The Code Enforcement Official is ordered forthwith to accomplish, with respect to said property, precisely and fully what was ordered by said Hearing Official as set forth fully above, except as modified in the following particulars:

This property is to be demolished, and all debris removed from the premises, and the cost of said removal shall be a lien against the real property as described herein.

SECTION 2

The lien as ordered herein and permitted by the North Carolina General Statutes § 160D-1203(7), shall be effective from and after the date the work is completed and shall have priority as provided by law, and a record of the same shall be available in the office of the City of Fayetteville Finance Department, Collections Division, 2nd Floor - City, 433 Hay Street, Fayetteville, NC 28301.

SECTION 3

This ordinance shall be in full force and effect from and after its adoption.

Adopted this 27th day of April 2026.

ATTEST:


Jennifer L. Ayre, City Clerk



CITY OF FAYETTEVILLE

Mitch Colvin, Mayor


Aerial Map - 1299 Bingham Drive




Aerial Map – 5329 Murchison Road



Aerial Map – 429 Chatham Street



Aerial Map – 419 Hall Street



Signed Lis Pendes – 419 Hall Street

STATE OF NORTH CAROLINA
COUNTY OF CUMBERLAND

IN THE GENERAL COURT OF JUSTICE
SUPERIOR COURT DIVISION
FILE No.: 26M000756-250

CITY OF FAYETTEVILLE,
Plaintiff,

v.

Katrina Adams,
Defendant(s).

NOTICE OF LIS PENDENS

TO: Katrina Adams
4947 Wye Branch Road
Newton Grove, NC 28366

You are notified that the plaintiff has commenced an action for condemnation for property located at 419 Hall Street, Fayetteville, North Carolina, under the provisions of North Carolina General Statute 160D, Article 11, Part 1119.

The plaintiff has requested you to demolish 419 Hall Street. The real property, which is the subject of this action, is further identified as Cumberland County Parcel Id Number 0437-61-2196.

Further, the plaintiff does hereby give notice to all bona fide purchasers, lien creditors, or persons having an interest of its intent to enforce its rights under provisions of North Carolina General Statute, Section 160D-1119, upon the above described real property located in the City of Fayetteville, Cumberland County, North Carolina.

This the 8th day of June, 2026.


Victoria C. Curtis
Assistant City Attorney
City of Fayetteville - City Attorney's Office
P.O. Box 1513
Fayetteville, NC 28302

Signed Lis Pendes – 429 Chatham Street

26M000758-250

STATE OF NORTH CAROLINA
COUNTY OF CUMBERLAND

IN THE GENERAL COURT OF JUSTICE
SUPERIOR COURT DIVISION
FILE No.:

CITY OF FAYETTEVILLE,
Plaintiff,

v.

Mattie L. McLean Heirs,
Defendant(s).

NOTICE OF LIS PENDENS

TO:

Unknown Heirs of Albert McLain
c/o Earline Patterson-McClain
1536 Palmer Drive
Fayetteville, NC 28303

Charles E. Smith
c/o Louray McLean
987 Hillsboro Street
Pittsboro, NC 27312

Unknown Heirs of William Gene McLean
c/o Louray McLean
987 Hillsboro Street
Pittsboro, NC 27312

Earline Patterson-McClain
1536 Palmer Drive
Fayetteville, NC 28303

Unknown Heirs of Allene McLean-Smith
c/o Earline Patterson-McClain
1536 Palmer Drive
Fayetteville, NC 28303

William H. Smith, Jr.
c/o Earline Patterson-McClain
1536 Palmer Drive
Fayetteville, NC 28303

Unknown Heirs of Mattie Lee McLean Wade
c/o Louray McLean
987 Hillsboro Street
Pittsboro, NC 27312

Alvina Smith Wilson
c/o Earline Patterson-McClain
1536 Palmer Drive
Fayetteville, NC 28303

Natalie Smith
c/o Earline Patterson-McClain
1536 Palmer Drive
Fayetteville, NC 28303

George Ann Smith Goodridge
c/o Louray McLean
987 Hillsboro Street
Pittsboro, NC 27312

Wayne Banks
900 Hastings Lane NE, Apt A
Brookhaven, MS 39601

Toney McClain
25 Forrest Hills Court
Sanford, NC 27332

Yvonne McClain Ward
350 Laurel Road
Spring Lake, NC 28390

Yvonne McClain-Smith
100 Lee Road, Apt. 620
Auburn, AL 36832

Yvonne Bruimlester
c/o Earline Patterson-McClain
1536 Palmer Drive
Fayetteville, NC 28303

Louray McLean
987 Hillsboro Street
Pittsboro, NC 27312

Dashonda R. McLean
c/o Louray McLean
987 Hillsboro Street
Pittsboro, NC 27312

Valerie Bolling
c/o Earline Patterson-McClain
1536 Palmer Drive
Fayetteville, NC 28303

David Thomas
1549 Coldwater Reserve Xing
Severn, MD 21144

Gregory Thomas
4609 Magnolia Drive
Suffolk, VA 23435

You are notified that the plaintiff has commenced an action for condemnation for property located at 429 Chatham Street, Fayetteville, North Carolina, under the provisions of North Carolina General Statute 160D, Article 11, Part 1119.

The plaintiff has requested you to demolish 429 Chatham Street. The real property, which is the subject of this action, is further identified as Cumberland County Parcel Id Number 0437-56-3989.

Further, the plaintiff does hereby give notice to all bona fide purchasers, lien creditors, or persons having an interest of its intent to enforce its rights under provisions of North Carolina General Statute, Section 160D-1119, upon the above described real property located in the City of Fayetteville, Cumberland County, North Carolina.

This the 8th day of June, 2026.


Victoria C. Curtis
Assistant City Attorney
City of Fayetteville - City Attorney's Office
P.O. Box 1513
Fayetteville, NC 28302

Signed Lis Pendes – 1299 Bingham Drive

STATE OF NORTH CAROLINA
COUNTY OF CUMBERLAND

IN THE GENERAL COURT OF JUSTICE
SUPERIOR COURT DIVISION
FILE No.: 26M000672-250

CITY OF FAYETTEVILLE,
Plaintiff,

v.

Jonathan Hall Elliot,
Defendant(s).

NOTICE OF LIS PENDENS

TO: Jonathan Hall Elliot
2275 Elliott Farm Road
Fayetteville, NC 28311

You are notified that the plaintiff has commenced an action for condemnation for property located at 1299 Bingham Drive, Fayetteville, North Carolina, under the provisions of North Carolina General Statute 160D, Article 11, Part 1119.

The plaintiff has requested you to demolish 1299 Bingham Drive. The real property, which is the subject of this action, is further identified as Cumberland County Parcel Id Number 0406-47-5257.

Further, the plaintiff does hereby give notice to all bona fide purchasers, lien creditors, or persons having an interest of its intent to enforce its rights under provisions of North Carolina General Statute, Section 160D-1119, upon the above described real property located in the City of Fayetteville, Cumberland County, North Carolina.

This the 11th day of May, 2026.

Victoria C. Curtis

Victoria C. Curtis
Assistant City Attorney
City of Fayetteville - City Attorney's Office
P.O. Box 1513
Fayetteville, NC 28302

Signed Lis Pendes – 5329 Murchison Rd

STATE OF NORTH CAROLINA
COUNTY OF CUMBERLAND

IN THE GENERAL COURT OF JUSTICE
SUPERIOR COURT DIVISION
FILE No.: 26M000673-250

CITY OF FAYETTEVILLE,
Plaintiff,

v.

Faud Alsaidi,
Defendant(s).

NOTICE OF LIS PENDENS

TO: Faud Alsaidi
6924 Edelweiss Place
Fayetteville, NC 28306

You are notified that the plaintiff has commenced an action for condemnation for property located at 5329 Murchison Road, Fayetteville, North Carolina, under the provisions of North Carolina General Statute 160D, Article 11, Part 1119.

The plaintiff has requested you to demolish 5329 Murchison Road. The real property, which is the subject of this action, is further identified as Cumberland County Parcel Id Number 0429-15-5344.

Further, the plaintiff does hereby give notice to all bona fide purchasers, lien creditors, or persons having an interest of its intent to enforce its rights under provisions of North Carolina General Statute, Section 160D-1119, upon the above described real property located in the City of Fayetteville, Cumberland County, North Carolina.

This the 11th day of May, 2026.

Victoria C. Curtis

Victoria C. Curtis
Assistant City Attorney
City of Fayetteville - City Attorney's Office
P.O. Box 1513
Fayetteville, NC 28302

Signed Lis Pendes – 104 Fleishman St

26M000759-250

STATE OF NORTH CAROLINA
COUNTY OF CUMBERLAND

IN THE GENERAL COURT OF JUSTICE
SUPERIOR COURT DIVISION
FILE No.:

CITY OF FAYETTEVILLE,
Plaintiff,

v.

V Capital, LLC,
Defendant(s).

NOTICE OF LIS PENDENS

TO: V Capital, LLC
2543 Ravenhill Drive, Suite A
Fayetteville, NC 28303

You are notified that the plaintiff has commenced an action for condemnation for property located at 104 Fleishman Street, Fayetteville, North Carolina, under the provisions of North Carolina General Statute 160D, Article 11, Part 1119.

The plaintiff has requested you to demolish 104 Fleishman Street. The real property, which is the subject of this action, is further identified as Cumberland County Parcel Id Number 0419-20-9979.

Further, the plaintiff does hereby give notice to all bona fide purchasers, lien creditors, or persons having an interest of its intent to enforce its rights under provisions of North Carolina General Statute, Section 160D-1119, upon the above described real property located in the City of Fayetteville, Cumberland County, North Carolina.

This the 8th day of June, 2026.



Victoria C. Curtis
Assistant City Attorney
City of Fayetteville - City Attorney's Office
P.O. Box 1513
Fayetteville, NC 28302

**REPORT OF THE ASBESTOS SURVEY's and
Bulk Asbestos Analysis for the following Addresses**

- 104 Fleishman Street, Fayetteville NC

- 419 Hall Street, Fayetteville NC

- 429 Chatham Street, Fayetteville NC

- 1299 BINGHAM Drive, Fayetteville NC
0406-47-5257 UNIT-A

- 1299 BINGHAM Drive, Fayetteville NC
0406-47-5257 UNIT-B

- 1299 BINGHAM Drive, Fayetteville NC
0406-47-5257 UNIT-C

- 1299 BINGHAM Drive, Fayetteville NC
0406-47-5257 UNIT-D

- 5329 MURCHISON Road, Fayetteville NC

REPORT OF THE ASBESTOS SURVEY

***COF - 104 Fleishman Street, Fayetteville NC
0419-20-9979***

PURPOSE AND SCOPE

An asbestos survey was conducted on June 17, 2026. The purpose of the asbestos inspection of this structure was to locate the asbestos containing building materials (ACBM) to protect human health and the environment. Information in this report should be made available to persons that may come in contact with the asbestos containing materials (ACM) as a result of demolition, repairs, or a change in ownership.

PROJECT DESCRIPTION

A limited survey was performed on the interior and exterior space. No below grade inspection preformed. Not responsible for any ACBM found during demolition.

PROCEDURE

No building plans were available. I was given unlimited access to the Structure. During the walk-through, areas of suspect materials were identified. Representative samples of these materials were collected and analyzed via Polarized Light Microscopy by an NVLAP accredited laboratory.

RESULTS

As you review the data, you will find the following materials were determined to have ASBESTOS:

**ACBM – Left rear bedroom Ceiling
ACBM – Transite Siding**

If this material is not rendered friable (reduced to powder by hand pressure, also interpreted as chipping, sanding, or grinding), the material does not have to be removed. If, however, this material is made friable, i.e. during demolition, replacement, or renovations, a North Carolina accredited asbestos abatement contractor should perform the removal. Any questions concerning the removal should be directed to the number listed below.

The NESHAP regulation dated Tuesday, November 20, 1990, Part III Environmental Protection Agency, 40CFR Part 61, requires that any building being renovated or demolished be inspected for asbestos containing building materials.

NOTE: If this structure is going to be demolished, or moved an asbestos permit application and notification for demolition/renovation is required by law to be mailed to the address below 10 working days prior to demolition or asbestos abatement activities.

Health Hazards Control Branch
Occupational and Environmental Epidemiology

Section
NC Department of Environment
Raleigh, NC, 27626-0820
Telephone: (919) 733-0820

An asbestos inspection is a judgement call based on the experience of the inspector. The survey is conducted by sampling substances known to contain asbestos or by sampling materials suspected of containing asbestos.

I the inspector assume no liability for asbestos materials that are not included in an asbestos inspection due to the material being inaccessible, concealed, or not considered suspect ACM. I the inspector assume no liability for the condition of the building materials before or after the inspection.

Sincerely,

JTL 6-19-2026

John T. Leonard
Asbestos Inspector
NC Accreditation # 12254









REPORT OF THE ASBESTOS SURVEY

***COF - 419 Hall Street, Fayetteville NC
0437-61-2196***

PURPOSE AND SCOPE

An asbestos survey was conducted on June 17, 2026. The purpose of the asbestos inspection of this structure was to locate the asbestos containing building materials (ACBM) to protect human health and the environment. Information in this report should be made available to persons that may come in contact with the asbestos containing materials (ACM) as a result of demolition, repairs, or a change in ownership.

PROJECT DESCRIPTION

A limited survey was performed on the interior and exterior space. No below grade inspection preformed. Not responsible for any ACBM found during demolition.

PROCEDURE

No building plans were available. I was given unlimited access to the Structure. During the walk-through, areas of suspect materials were identified. Representative samples of these materials were collected and analyzed via Polarized Light Microscopy by an NVLAP accredited laboratory.

RESULTS

As you review the data, you will find the following materials were determined to have ASBESTOS:

ACBM – Kitchen Ceiling
ACBM – Felt Paper under Transite Siding
ACBM – Transite Siding

If this material is not rendered friable (reduced to powder by hand pressure, also interpreted as chipping, sanding, or grinding), the material does not have to be removed. If, however, this material is made friable, i.e. during demolition, replacement, or renovations, a North Carolina accredited asbestos abatement contractor should perform the removal. Any questions concerning the removal should be directed to the number listed below.

The NESHAP regulation dated Tuesday, November 20, 1990, Part III Environmental Protection Agency, 40CFR Part 61, requires that any building being renovated or demolished be inspected for asbestos containing building materials.

NOTE: If this structure is going to be demolished, or moved an asbestos permit application and notification for demolition/renovation is required by law to be mailed to the address below 10 working days prior to demolition or asbestos abatement activities.

Health Hazards Control Branch

Occupational and Environmental Epidemiology
Section
NC Department of Environment
Raleigh, NC, 27626-0820
Telephone: (919) 733-0820

An asbestos inspection is a judgement call based on the experience of the inspector. The survey is conducted by sampling substances known to contain asbestos or by sampling materials suspected of containing asbestos.

I the inspector assume no liability for asbestos materials that are not included in an asbestos inspection due to the material being inaccessible, concealed, or not considered suspect ACM. I the inspector assume no liability for the condition of the building materials before or after the inspection.

Sincerely,

JTL 6-19-2026

John T. Leonard
Asbestos Inspector
NC Accreditation # 12254







REPORT OF THE ASBESTOS SURVEY

**COF - 429 Chatham Street, Fayetteville NC
0437-56-3989**

PURPOSE AND SCOPE

An asbestos survey was conducted on June 17, 2026. The purpose of the asbestos inspection of this structure was to locate the asbestos containing building materials (ACBM) to protect human health and the environment. Information in this report should be made available to persons that may come in contact with the asbestos containing materials (ACM) as a result of demolition, repairs, or a change in ownership.

PROJECT DESCRIPTION

A limited survey was performed on the interior and exterior space. No below grade inspection preformed. Not responsible for any ACBM found during demolition.

PROCEDURE

No building plans were available. I was given unlimited access to the Structure. During the walk-through, areas of suspect materials were identified. Representative samples of these materials were collected and analyzed via Polarized Light Microscopy by an NVLAP accredited laboratory.

RESULTS

As you review the data, you will find the following materials were determined to have ASBESTOS:

NO ACBM detected during survey...

If this material is not rendered friable (reduced to powder by hand pressure, also interpreted as chipping, sanding, or grinding), the material does not have to be removed. If, however, this material is made friable, i.e. during demolition, replacement, or renovations, a North Carolina accredited asbestos abatement contractor should perform the removal. Any questions concerning the removal should be directed to the number listed below.

The NESHAP regulation dated Tuesday, November 20, 1990, Part III Environmental Protection Agency, 40CFR Part 61, requires that any building being renovated or demolished be inspected for asbestos containing building materials.

NOTE: If this structure is going to be demolished, or moved an asbestos permit application and notification for demolition/renovation is required by law to be mailed to the address below 10 working days prior to demolition or asbestos abatement activities.

Health Hazards Control Branch
Occupational and Environmental Epidemiology
Section
NC Department of Environment
Raleigh, NC, 27626-0820

Telephone: (919) 733-0820

An asbestos inspection is a judgement call based on the experience of the inspector. The survey is conducted by sampling substances known to contain asbestos or by sampling materials suspected of containing asbestos.

I the inspector assume no liability for asbestos materials that are not included in an asbestos inspection due to the material being inaccessible, concealed, or not considered suspect ACM. I the inspector assume no liability for the condition of the building materials before or after the inspection.

Sincerely,

JTL 6-19-2026


John T. Leonard
Asbestos Inspector
NC Accreditation # 12254

















REPORT OF THE ASBESTOS SURVEY

*COF - 1299 BINGHAM Drive, Fayetteville NC
0406-47-5257 UNIT-A*

PURPOSE AND SCOPE

An asbestos survey was conducted on June 30, 2026. The purpose of the asbestos inspection of this structure was to locate the asbestos containing building materials (ACBM) to protect human health and the environment. Information in this report should be made available to persons that may come in contact with the asbestos containing materials (ACM) as a result of demolition, repairs, or a change in ownership.

PROJECT DESCRIPTION

A limited survey was performed on the interior and exterior space. No below grade inspection preformed. Not responsible for any ACBM found during demolition.

PROCEDURE

No building plans were available. I was given unlimited access to the Structure. During the walk-through, areas of suspect materials were identified. Representative samples of these materials were collected and analyzed via Polarized Light Microscopy by an NVLAP accredited laboratory.

RESULTS

As you review the data, you will find the following materials were determined to have ASBESTOS:

ACBM – Coating on kitchen sink

If this material is not rendered friable (reduced to powder by hand pressure, also interpreted as chipping, sanding, or grinding), the material does not have to be removed. If, however, this material is made friable, i.e. during demolition, replacement, or renovations, a North Carolina accredited asbestos abatement contractor should perform the removal. Any questions concerning the removal should be directed to the number listed below.

The NESHAP regulation dated Tuesday, November 20, 1990, Part III Environmental Protection Agency, 40CFR Part 61, requires that any building being renovated or demolished be inspected for asbestos containing building materials.

NOTE: If this structure is going to be demolished, or moved an asbestos permit application and notification for demolition/renovation is required by law to be mailed to the address below 10 working days prior to demolition or asbestos abatement activities.

Health Hazards Control Branch
Occupational and Environmental Epidemiology
Section
NC Department of Environment

Raleigh, NC, 27626-0820
Telephone: (919) 733-0820

An asbestos inspection is a judgement call based on the experience of the inspector. The survey is conducted by sampling substances known to contain asbestos or by sampling materials suspected of containing asbestos.

I the inspector assume no liability for asbestos materials that are not included in an asbestos inspection due to the material being inaccessible, concealed, or not considered suspect ACM. I the inspector assume no liability for the condition of the building materials before or after the inspection.

Sincerely,

JTL 7-2-2026

John T. Leonard
Asbestos Inspector
NC Accreditation # 12254

REPORT OF THE ASBESTOS SURVEY

*COF - 1299 BINGHAM Drive, Fayetteville NC
0406-47-5257 UNIT-B*

PURPOSE AND SCOPE

An asbestos survey was conducted on June 30, 2026. The purpose of the asbestos inspection of this structure was to locate the asbestos containing building materials (ACBM) to protect human health and the environment. Information in this report should be made available to persons that may come in contact with the asbestos containing materials (ACM) as a result of demolition, repairs, or a change in ownership.

PROJECT DESCRIPTION

A limited survey was performed on the interior and exterior space. No below grade inspection preformed. Not responsible for any ACBM found during demolition.

PROCEDURE

No building plans were available. I was given unlimited access to the Structure. During the walk-through, areas of suspect materials were identified. Representative samples of these materials were collected and analyzed via Polarized Light Microscopy by an NVLAP accredited laboratory.

RESULTS

As you review the data, you will find the following materials were determined to have ASBESTOS:

ACBM – No Asbestos detected during this survey

If this material is not rendered friable (reduced to powder by hand pressure, also interpreted as chipping, sanding, or grinding), the material does not have to be removed. If, however, this material is made friable, i.e. during demolition, replacement, or renovations, a North Carolina accredited asbestos abatement contractor should perform the removal. Any questions concerning the removal should be directed to the number listed below.

The NESHAP regulation dated Tuesday, November 20, 1990, Part III Environmental Protection Agency, 40CFR Part 61, requires that any building being renovated or demolished be inspected for asbestos containing building materials.

NOTE: If this structure is going to be demolished, or moved an asbestos permit application and notification for demolition/renovation is required by law to be mailed to the address below 10 working days prior to demolition or asbestos abatement activities.

Health Hazards Control Branch
Occupational and Environmental Epidemiology
Section
NC Department of Environment

Raleigh, NC, 27626-0820
Telephone: (919) 733-0820

An asbestos inspection is a judgement call based on the experience of the inspector. The survey is conducted by sampling substances known to contain asbestos or by sampling materials suspected of containing asbestos.

I the inspector assume no liability for asbestos materials that are not included in an asbestos inspection due to the material being inaccessible, concealed, or not considered suspect ACM. I the inspector assume no liability for the condition of the building materials before or after the inspection.

Sincerely,

JTL 7-2-2026

John T. Leonard
Asbestos Inspector
NC Accreditation # 12254

REPORT OF THE ASBESTOS SURVEY

*COF - 1299 BINGHAM Drive, Fayetteville NC
0406-47-5257 UNIT-C*

PURPOSE AND SCOPE

An asbestos survey was conducted on June 30, 2026. The purpose of the asbestos inspection of this structure was to locate the asbestos containing building materials (ACBM) to protect human health and the environment. Information in this report should be made available to persons that may come in contact with the asbestos containing materials (ACM) as a result of demolition, repairs, or a change in ownership.

PROJECT DESCRIPTION

A limited survey was performed on the interior and exterior space. No below grade inspection preformed. Not responsible for any ACBM found during demolition.

PROCEDURE

No building plans were available. I was given unlimited access to the Structure. During the walk-through, areas of suspect materials were identified. Representative samples of these materials were collected and analyzed via Polarized Light Microscopy by an NVLAP accredited laboratory.

RESULTS

As you review the data, you will find the following materials were determined to have ASBESTOS:

ACBM – No Asbestos detected during this survey

If this material is not rendered friable (reduced to powder by hand pressure, also interpreted as chipping, sanding, or grinding), the material does not have to be removed. If, however, this material is made friable, i.e. during demolition, replacement, or renovations, a North Carolina accredited asbestos abatement contractor should perform the removal. Any questions concerning the removal should be directed to the number listed below.

The NESHAP regulation dated Tuesday, November 20, 1990, Part III Environmental Protection Agency, 40CFR Part 61, requires that any building being renovated or demolished be inspected for asbestos containing building materials.

NOTE: If this structure is going to be demolished, or moved an asbestos permit application and notification for demolition/renovation is required by law to be mailed to the address below 10 working days prior to demolition or asbestos abatement activities.

Health Hazards Control Branch
Occupational and Environmental Epidemiology
Section
NC Department of Environment

Raleigh, NC, 27626-0820
Telephone: (919) 733-0820

An asbestos inspection is a judgement call based on the experience of the inspector. The survey is conducted by sampling substances known to contain asbestos or by sampling materials suspected of containing asbestos.

I the inspector assume no liability for asbestos materials that are not included in an asbestos inspection due to the material being inaccessible, concealed, or not considered suspect ACM. I the inspector assume no liability for the condition of the building materials before or after the inspection.

Sincerely,

JTL 7-2-2026

John T. Leonard
Asbestos Inspector
NC Accreditation # 12254

REPORT OF THE ASBESTOS SURVEY

*COF - 1299 BINGHAM Drive, Fayetteville NC
0406-47-5257 UNIT-D*

PURPOSE AND SCOPE

An asbestos survey was conducted on June 30, 2026. The purpose of the asbestos inspection of this structure was to locate the asbestos containing building materials (ACBM) to protect human health and the environment. Information in this report should be made available to persons that may come in contact with the asbestos containing materials (ACM) as a result of demolition, repairs, or a change in ownership.

PROJECT DESCRIPTION

A limited survey was performed on the interior and exterior space. No below grade inspection preformed. Not responsible for any ACBM found during demolition.

PROCEDURE

No building plans were available. I was given unlimited access to the Structure. During the walk-through, areas of suspect materials were identified. Representative samples of these materials were collected and analyzed via Polarized Light Microscopy by an NVLAP accredited laboratory.

RESULTS

As you review the data, you will find the following materials were determined to have ASBESTOS:

ACBM – No Asbestos detected during this survey

If this material is not rendered friable (reduced to powder by hand pressure, also interpreted as chipping, sanding, or grinding), the material does not have to be removed. If, however, this material is made friable, i.e. during demolition, replacement, or renovations, a North Carolina accredited asbestos abatement contractor should perform the removal. Any questions concerning the removal should be directed to the number listed below.

The NESHAP regulation dated Tuesday, November 20, 1990, Part III Environmental Protection Agency, 40CFR Part 61, requires that any building being renovated or demolished be inspected for asbestos containing building materials.

NOTE: If this structure is going to be demolished, or moved an asbestos permit application and notification for demolition/renovation is required by law to be mailed to the address below 10 working days prior to demolition or asbestos abatement activities.

Health Hazards Control Branch
Occupational and Environmental Epidemiology
Section
NC Department of Environment

Raleigh, NC, 27626-0820
Telephone: (919) 733-0820

An asbestos inspection is a judgement call based on the experience of the inspector. The survey is conducted by sampling substances known to contain asbestos or by sampling materials suspected of containing asbestos.

I the inspector assume no liability for asbestos materials that are not included in an asbestos inspection due to the material being inaccessible, concealed, or not considered suspect ACM. I the inspector assume no liability for the condition of the building materials before or after the inspection.

Sincerely,

JTL 7-2-2026

John T. Leonard
Asbestos Inspector
NC Accreditation # 12254

REPORT OF THE ASBESTOS SURVEY

*COF - 5329 MURCHISON Road, Fayetteville NC
0429-15-5344*

PURPOSE AND SCOPE

An asbestos survey was conducted on June 17, 2026. The purpose of the asbestos inspection of this structure was to locate the asbestos containing building materials (ACBM) to protect human health and the environment. Information in this report should be made available to persons that may come in contact with the asbestos containing materials (ACM) as a result of demolition, repairs, or a change in ownership.

PROJECT DESCRIPTION

A limited survey was performed on the interior and exterior space. No below grade inspection preformed. Not responsible for any ACBM found during demolition.

PROCEDURE

No building plans were available. I was given unlimited access to the Structure. During the walk-through, areas of suspect materials were identified. Representative samples of these materials were collected and analyzed via Polarized Light Microscopy by an NVLAP accredited laboratory.

RESULTS

As you review the data, you will find the following materials were determined to have ASBESTOS:

NO ACBM detected during survey...

If this material is not rendered friable (reduced to powder by hand pressure, also interpreted as chipping, sanding, or grinding), the material does not have to be removed. If, however, this material is made friable, i.e. during demolition, replacement, or renovations, a North Carolina accredited asbestos abatement contractor should perform the removal. Any questions concerning the removal should be directed to the number listed below.

The NESHAP regulation dated Tuesday, November 20, 1990, Part III Environmental Protection Agency, 40CFR Part 61, requires that any building being renovated or demolished be inspected for asbestos containing building materials.

NOTE: If this structure is going to be demolished, or moved an asbestos permit application and notification for demolition/renovation is required by law to be mailed to the address below 10 working days prior to demolition or asbestos abatement activities.

Health Hazards Control Branch
Occupational and Environmental Epidemiology
Section
NC Department of Environment
Raleigh, NC, 27626-0820

Telephone: (919) 733-0820

An asbestos inspection is a judgement call based on the experience of the inspector. The survey is conducted by sampling substances known to contain asbestos or by sampling materials suspected of containing asbestos.

I the inspector assume no liability for asbestos materials that are not included in an asbestos inspection due to the material being inaccessible, concealed, or not considered suspect ACM. I the inspector assume no liability for the condition of the building materials before or after the inspection.

Sincerely,

JTL 6-19-2026

John T. Leonard
Asbestos Inspector
NC Accreditation # 12254





Bulk Asbestos Analysis

By Polarized Light Microscopy
EPA Method: 600/R-93/116 and
40 CFR, Part 763, Subpart E, App.E



Customer: JTL Services
3999 Sanderosa Rd.
Fayetteville, NC 28312

Attn: Jay Leonard

Lab Order ID: 10110789

Analysis: PLM

Date Received: 06/18/2026

Date Reported: 06/18/2026

Project: COF 0419-20-9979 104 Fleishman Street
Fayetteville NC

Sample ID	Description	Asbestos	Fibrous Components	Non-Fibrous Components	Attributes
Lab Sample ID	Lab Notes				Treatment
1	Ceiling Surfacing	2% Chrysotile		98% Other	Off-white Non-Fibrous Homogeneous
10110789_0001					Crushed
2	Ceiling Surfacing	None Detected		100% Other	Off-white Non-Fibrous Homogeneous
10110789_0002					Crushed
3	Ceiling Surfacing	None Detected		100% Other	Off-white Non-Fibrous Homogeneous
10110789_0003					Crushed
4	Joint Compound	None Detected		100% Other	White Non-Fibrous Homogeneous
10110789_0004					Crushed
5	Sheetrock	None Detected		100% Other	Gray Non-Fibrous Homogeneous
10110789_0005					Crushed
6	Roofing felt	None Detected	90% Cellulose	10% Other	Black Fibrous Homogeneous
10110789_0006					Ashed
7	Roofing Shingle	None Detected	10% Fiber Glass	90% Other	Black Non-Fibrous Homogeneous
10110789_0007					Dissolved
8	Felt	None Detected	90% Cellulose	10% Other	Black Fibrous Homogeneous
10110789_0008					Ashed

Disclaimer: Due to the nature of the EPA 600 method, asbestos may not be detected in samples containing low levels of asbestos. We strongly recommend that analysis of floor tiles, vermiculite, and/or heterogenous soil samples be conducted by TEM for confirmation of "None Detected" by PLM. This report relates only to the samples tested and may not be reproduced, except in full, without the written approval of SAI. This report may not be used by the client to claim product endorsement by NVLAP or any other agency of the U.S. government. Analytical uncertainty available upon request. Scientific Analytical Institute participates in the NVLAP Proficiency Testing program. Unless otherwise noted blank sample correction was not performed. Estimated MDL is 0.1%.

Leo Shaffer (9)

Analyst


Nathaniel Durham

Approved Signatory



Bulk Asbestos Analysis

By Polarized Light Microscopy
EPA Method: 600/R-93/116 and
40 CFR, Part 763, Subpart E, App.E



Customer: JTL Services
3999 Sanderosa Rd.
Fayetteville, NC 28312

Attn: Jay Leonard

Lab Order ID: 10110789

Analysis: PLM

Date Received: 06/18/2026

Date Reported: 06/18/2026

Project: COF 0419-20-9979 104 Fleishman Street
Fayetteville NC

Sample ID	Description	Asbestos	Fibrous Components	Non-Fibrous Components	Attributes
Lab Sample ID	Lab Notes				Treatment
9	Transite	10% Chrysotile		90% Other	Gray Non-Fibrous Homogeneous
10110789_0009					Crushed

Disclaimer: Due to the nature of the EPA 600 method, asbestos may not be detected in samples containing low levels of asbestos. We strongly recommend that analysis of floor tiles, vermiculite, and/or heterogenous soil samples be conducted by TEM for confirmation of "None Detected" by PLM. This report relates only to the samples tested and may not be reproduced, except in full, without the written approval of SAI. This report may not be used by the client to claim product endorsement by NVLAP or any other agency of the U.S. government. Analytical uncertainty available upon request. Scientific Analytical Institute participates in the NVLAP Proficiency Testing program. Unless otherwise noted blank sample correction was not performed. Estimated MDL is 0.1%.

Leo Shaffer (9)

Analyst

Approved Signatory

10110789

Client: JTL services LLC
Contact: John Leonard
Address: 3999 Sanderosa Road
Phone: Fayetteville NC 28312
Fax: 910-237-3519
Email: moldservicesjtl@aol.com

Project: COF 0419-20-9979
Client Notes: 104 Fleishman Street
Fayetteville NC

P.O. #:
Date Submitted: 6/17/2026 0:00

Analysis: PLM
TurnAroundTime: 12

***Instructions:**
Use Column "B" for your contact info

To See an Example Click the
bottom Example Tab.

Enter samples between "<<" and ">>"
Begin Samples with a "<<" above the first sample
and end with a ">>" below the last sample.
Only Enter your data on the first sheet "Sheet1"

Note: Data 1 and Data 2 are optional
fields that do not show up on the official
report, however they will be included
in the electronic data returned to you
to facilitate your reintegration of the report data.

**Scientific
Analytical
Institute**



**4604 Dundas Drive
Greensboro, NC 27407
Phone: 336.292.3888
Fax: 336.292.3313
Email: lab@sailab.com**

<<		
1 Room ceiling surfacing	Ceiling Surfacing	left rear
2 Room ceiling surfacing	Ceiling Surfacing	right rear
3 Bathroom Ceiling Surfacing	Ceiling Surfacing	
4 Living room wall	Joint Compound	
5 Walls Sheetrock	Sheetrock	
6 Roofing Felt	Roofing felt	
7 Roofing Shingle	Roofing Shingle	
8 Outside wrap felt	Felt	Under siding
9 Transite Siding	Transite	
>>		

Accepted ☒

Rejected ☐

Relinquished By

Received By 6/18
1030



Scientific Analytical Institute
4604 Dundas Dr. Greensboro, NC 27407
Phone: 336.292.3888 Fax: 336.292.3313
www.sailab.com lab@sailab.com

Lab Use Only
Lab Order ID: 0789
Client Code: _____

Company Contact Information	
Company: JTL Services LLC	Contact: Jay Leonard
Address: 3999 Sandevosa Road	Phone ☒ : 910-237-3519
Fayetteville, NC 28312	Fax ☐ :
	Email ☒ : moldservicesjtl@aol.com

Billing/Invoice Information	Turn Around Times
Company: Credit Card on File	90 Min. ☐ 48 Hours ☐
Contact: COF 0419209979	3 Hours ☐ 72 Hours ☐
Address: 104 fleishman street	6 Hours ☐ 96 Hours ☐
Fayetteville NC	12 Hours ☒ 120 Hours ☐
	24 Hours ☐ 144+ Hours ☐

PO Number:
Project Name/Number:

Asbestos Test Types	
PLM EPA 600/R-93/116 (PLM)	☒
Positive stop	☐
PLM Point Count 400 (PT4)	☐
PLM Point Count 1000 (PTM)	☐
PCM NIOSH 7400-A Rules (PCM)	☐
B Rules (PCB) ☐ TWA (PTA) ☐	
TEM AHERA (AHE)	☐
TEM Level II (LIJ)	☐
TEM NIOSH 7402 (TNI)	☐
TEM Bulk Qualitative (TBL)	☐
TEM Bulk Chatfield (TBS)	☐
TEM Bulk Quantitative (TBQ)	☐
TEM Wipe ASTM D6480-05	☐
TEM Microvac ASTM D5755-02	☐
TEM Water EPA 100.2 (TW1)	☐
Other: _____	☐

Sample ID #		Volume/Area	Comments
1	Room Left Rear ceiling surfacing		
2	Room Right Rear ceiling surfacing		
3	Bathroom ceiling surfacing		
4	Living Room wall joint compound		
5	Sheetrock walls		
6	Roofing felt		
7	Roofing shingle		
8	Wrap felt under siding		
9	Transite siding		


Total # of Samples _____

Relinquished by	Date/Time	Received by	Date/Time



Bulk Asbestos Analysis

By Polarized Light Microscopy
EPA Method: 600/R-93/116 and
40 CFR, Part 763, Subpart E, App.E



Customer: JTL Services
3999 Sanderosa Rd.
Fayetteville, NC 28312

Attn: Jay Leonard

Lab Order ID: 10111935

Analysis: PLM

Date Received: 07/01/2026

Date Reported: 07/01/2026

Project: COF 0406-47-5257 1299 Bingham Drive
Fayetteville NC 28304 Unit A

Sample ID	Description	Asbestos	Fibrous Components	Non-Fibrous Components	Attributes
Lab Sample ID	Lab Notes				Treatment
1	Joint Compound	None Detected		100% Other	Off-white Non-Fibrous Homogeneous
10111935_0001					Dissolved
2	Joint Compound	None Detected		100% Other	Off-white Non-Fibrous Homogeneous
10111935_0002					Dissolved
3	Surfacing	None Detected		100% Other	Off-white Non-Fibrous Homogeneous
10111935_0003					Dissolved
4	Joint Compound	None Detected		100% Other	Off-white Non-Fibrous Homogeneous
10111935_0004					Dissolved
5	Sheetrock	None Detected	5% Cellulose	95% Other	Gray Non-Fibrous Homogeneous
10111935_0005					Dissolved
6	Coating	3% Chrysotile		97% Other	Brown, Off-white Non-Fibrous Homogeneous
10111935_0006					Dissolved

Disclaimer: Due to the nature of the EPA 600 method, asbestos may not be detected in samples containing low levels of asbestos. We strongly recommend that analysis of floor tiles, vermiculite, and/or heterogenous soil samples be conducted by TEM for confirmation of "None Detected" by PLM. This report relates only to the samples tested and may not be reproduced, except in full, without the written approval of SAI. This report may not be used by the client to claim product endorsement by NVLAP or any other agency of the U.S. government. Analytical uncertainty available upon request. Scientific Analytical Institute participates in the NVLAP Proficiency Testing program. Unless otherwise noted blank sample correction was not performed. Estimated MDL is 0.1%.

Kiersten Smith (6)

Analyst

Nathaniel J. Durham

Approved Signatory

Client: JTL services LLC
Contact: John Leonard
Address: 3999 Sanderosa Road
Phone: Fayetteville NC 28312
Fax: 910-237-3519
Email: moldservicesjtl@aol.com

Project: COF 0406-47-5257
1299 Bingham Drive
Client Notes: Fayetteville NC 28304
Unit A

P.O. #:
Date Submitted: 7/1/2026 0:00

Analysis: PLM
TurnAroundTime: 12

Instructions:
Use Column "B" for your contact info

To See an Example Click the
bottom Example Tab.

Enter samples between "<<" and ">>"
Begin Samples with a "<<" above the first sample
and end with a ">>" below the last sample.
Only Enter your data on the first sheet "Sheet1"

Note: Data 1 and Data 2 are optional
fields that do not show up on the official
report, however they will be included
in the electronic data returned to you
to facilitate your reintegration of the report data.

Scientific
Analytical
Institute



4604 Dundas Drive
Greensboro, NC 27407
Phone: 336.292.3888
Fax: 336.292.3313
Email: lab@sallab.com

10111935

<<

1 Kitchen wall Joint Compound	Joint Compound
2 Kitchen Ceiling Joint Compound	Joint Compound
3 Kitchen Ceiling Surfacing	Surfacing
4 Bathroom wall Joint Compound	Joint Compound
5 Sheetrock wall	Sheetrock
6 Kitchen sink coating	Coating

bottom of sink

Accepted

☒

Rejected

☐

>>

Relinquished By

Received By

CP 7/1 10:30AM



Scientific Analytical Institute
4604 Dundas Dr. Greensboro, NC 27407
Phone: 336.292.3888 Fax: 336.292.3313
www.sailab.com lab@sailab.com

Lab Use Only
Lab Order ID: 1935
Client Code: _____

Company Contact Information

Company: JTL Services LLC	Contact: Jay Leonard
Address: 3999 Sanderosa Road	Phone ☒ : 910-237-3519
Fayetteville, NC 28312	Fax ☐ :
	Email ☒ : moldservicesjtl@aol.com

Billing/Invoice Information

Company: Credit Card on File	90 Min. ☐	48 Hours ☐
Contact: COF 0406-47-5257	3 Hours ☐	72 Hours ☐
Address: 1299 Bingham Drive	6 Hours ☐	96 Hours ☐
Fayetteville NC	12 Hours ☒	120 Hours ☐
28304	24 Hours ☐	144+ Hours ☐

PO Number:

Unit A

Project Name/Number:

Asbestos Test Types

PLM EPA 600/R-93/116 (PLM)	☒
Positive stop	☐
PLM Point Count 400 (PT4)	☐
PLM Point Count 1000 (PTM)	☐
PCM NIOSH 7400-A Rules (PCM)	☐
B Rules (PCB) ☐ TWA (PTA) ☐	
TEM AHERA (AHE)	☐
TEM Level II (LII)	☐
TEM NIOSH 7402 (TNI)	☐
TEM Bulk Qualitative (TBL)	☐
TEM Bulk Chatfield (TBS)	☐
TEM Bulk Quantitative (TBQ)	☐
TEM Wipe ASTM D6480-05	☐
TEM Microvac ASTM D5755-02	☐
TEM Water EPA 100.2 (TW1)	☐
Other: _____	☐

Sample ID #		Volume/Area	Comments
1	Kitchen wall joint compound		
2	Kitchen ceiling joint compound		
3	Kitchen ceiling xan/airing		
4	Bathroom wall joint compound		
5	Shower wall		
6	Kitchen sink coating		

Total # of Samples _____

Relinquished by	Date/Time	Received by	Date/Time



Bulk Asbestos Analysis

By Polarized Light Microscopy
EPA Method: 600/R-93/116 and
40 CFR, Part 763, Subpart E, App.E



Customer: JTL Services
3999 Sanderosa Rd.
Fayetteville, NC 28312

Attn: Jay Leonard

Lab Order ID: 10111938

Analysis: PLM

Date Received: 07/01/2026

Date Reported: 07/01/2026

Project: COF 0406-47-5257 1299 Bingham Drive
Fayetteville NC 28304 Unit B

Sample ID	Description	Asbestos	Fibrous Components	Non-Fibrous Components	Attributes
Lab Sample ID	Lab Notes				Treatment
1	Joint Compound	None Detected		100% Other	White Non-Fibrous Homogeneous
10111938_0001					Dissolved
2	Surfacing	None Detected		100% Other	Off-white Non-Fibrous Homogeneous
10111938_0002					Dissolved
3	Surfacing	None Detected		100% Other	Off-white Non-Fibrous Homogeneous
10111938_0003					Dissolved
4	Joint Compound	None Detected		100% Other	Off-white Non-Fibrous Homogeneous
10111938_0004					Dissolved
5	Window Glaze	None Detected		100% Other	Tan Non-Fibrous Homogeneous
10111938_0005					Ashed
6	Sheetrock	None Detected	5% Cellulose	95% Other	Gray Non-Fibrous Homogeneous
10111938_0006					Dissolved
7	Joint Compound	None Detected		100% Other	Off-white Non-Fibrous Homogeneous
10111938_0007					Dissolved
8	Duct wrap	None Detected	20% Cellulose 20% Fiber Glass	60% Other	Yellow, Silver Fibrous Homogeneous
10111938_0008					Ashed

Disclaimer: Due to the nature of the EPA 600 method, asbestos may not be detected in samples containing low levels of asbestos. We strongly recommend that analysis of floor tiles, vermiculite, and/or heterogeneous soil samples be conducted by TEM for confirmation of "None Detected" by PLM. This report relates only to the samples tested and may not be reproduced, except in full, without the written approval of SAI. This report may not be used by the client to claim product endorsement by NVLAP or any other agency of the U.S. government. Analytical uncertainty available upon request. Scientific Analytical Institute participates in the NVLAP Proficiency Testing program. Unless otherwise noted blank sample correction was not performed. Estimated MDL is 0.1%.

Kiersten Smith (8)

Analyst

Nathaniel Durham

Approved Signatory

Client: JTL services LLC
Contact: John Leonard
Address: 3999 Sanderosa Road
Phone: Fayetteville NC 28312
Fax: 910-237-3519
Email: moldservicesjtl@aol.com

Project: COF 0406-47-5257
1299 Bingham Drive
Client Notes: Fayetteville NC 28304
Unit B

P.O. #.
Date Submitted: 7/1/2026 0:00

Analysis: PLM
TurnAroundTime: 12

Instructions:
Use Column "B" for your contact info

*To See an Example Click the
bottom Example Tab:*

*Enter samples between "<<" and ">>"
Begin Samples with a "<<" above the first sample
and end with a ">>" below the last sample.
Only Enter your data on the first sheet "Sheet1"*

*Note: Data 1 and Data 2 are optional
fields that do not show up on the official
report, however they will be included
in the electronic data returned to you
to facilitate your reintegration of the report data.*

Scientific
Analytical
Institute



4604 Dundas Drive
Greensboro, NC 27407
Phone: 336.292.3888
Fax: 336.292.3813
Email: lab@sailab.com

Sample Number	Data 1	Sample Description	Data 2
---------------	--------	--------------------	--------

<<

1 Kitchen wall Joint Compound	Joint Compound
2 Living Room ceiling surfacing	Surfacing
3 Bedroom Ceiling Surfacing	Surfacing
4 Bathroom ceiling Joint Compound	Joint Compound
5 Window Glaze	Window Glaze
6 Sheetrock Wall	Sheetrock
7 Bedroom wall joint compound	Joint Compound
8 HVAC duct wrap	Duct wrap

>>

Accepted ☒
Rejected ☐

Relinquished By

CP 7/1 10:20 AM

Received By



Scientific Analytical Institute
4604 Dundas Dr. Greensboro, NC 27407
Phone: 336.292.3888 Fax: 336.292.3313
www.sailab.com lab@sailab.com

Lab Use Only
Lab Order ID: 1938
Client Code: _____

Company Contact Information

Company: JTL Services LLC	Contact: Jay Leonard
Address: 3999 Sanderosa Road	Phone ☒ : 910-237-3519
Fayetteville, NC 28312	Fax ☐ :
	Email ☒ : moldservicesjtl@aol.com

Billing/Invoice Information

Company: Credit Card on File	90 Min. ☐	48 Hours ☐
Contact: Cof 0406-47-5257	3 Hours ☐	72 Hours ☐
Address: 1299 Bingham Ave	6 Hours ☐	96 Hours ☐
Fayetteville NC 28304	12 Hours ☒	120 Hours ☐
	24 Hours ☐	144+ Hours ☐

PO Number:

Project Name/Number:

Asbestos Test Types

PLM EPA 600/R-93/116 (PLM)	☒
Positive stop	☐
PLM Point Count 400 (PT4)	☐
PLM Point Count 1000 (PTM)	☐
PCM NIOSH 7400-A Rules (PCM)	☐
B Rules (PCB) ☐ TWA (PTA) ☐	
TEM AHERA (AHE)	☐
TEM Level II (LII)	☐
TEM NIOSH 7402 (TNI)	☐
TEM Bulk Qualitative (TBL)	☐
TEM Bulk Chatfield (TBS)	☐
TEM Bulk Quantitative (TBQ)	☐
TEM Wipe ASTM D6480-05	☐
TEM Microvac ASTM D5755-02	☐
TEM Water EPA 100.2 (TW1)	☐
Other: _____	☐

Sample ID #		Volume/Area	Comments
1	Kitchen wall joint compound		
2	Living room ceiling surfacing		
3	Bedroom ceiling surfacing		
4	Bedroom ceiling joint compound		
5	Window glaze		
6	Wall sheetrock		
7	Bedroom wall joint compound		
8	HVAC Duct wrap		


Total # of Samples _____

Relinquished by	Date/Time	Received by	Date/Time



Bulk Asbestos Analysis

By Polarized Light Microscopy
EPA Method: 600/R-93/116 and
40 CFR, Part 763, Subpart E, App.E



Customer: JTL Services
3999 Sanderosa Rd.
Fayetteville, NC 28312

Attn: Jay Leonard

Lab Order ID: 10111940

Analysis: PLM

Date Received: 07/01/2026

Date Reported: 07/01/2026

Project: COF 0406-47-5257 1299 Bingham Drive
Fayetteville NC 28304 Unit C

Sample ID	Description	Asbestos	Fibrous Components	Non-Fibrous Components	Attributes
Lab Sample ID	Lab Notes				Treatment
1	Joint Compound	None Detected		100% Other	White Non-Fibrous Homogeneous
10111940_0001					Crushed
2	Surfacing	None Detected		100% Other	White, Beige Non-Fibrous Homogeneous
10111940_0002					Crushed
3	Sheetrock	None Detected		100% Other	Gray Non-Fibrous Homogeneous
10111940_0003					Crushed
4	Joint Compound	None Detected		100% Other	White Non-Fibrous Homogeneous
10111940_0004					Crushed
5	Surfacing	None Detected		100% Other	Off-white Non-Fibrous Homogeneous
10111940_0005					Crushed
6	Window Glaze	None Detected		100% Other	Gray, Beige Non-Fibrous Homogeneous
10111940_0006					Crushed, Dissolved
7	Joint Compound	None Detected		100% Other	White Non-Fibrous Homogeneous
10111940_0007					Crushed

Disclaimer: Due to the nature of the EPA 600 method, asbestos may not be detected in samples containing low levels of asbestos. We strongly recommend that analysis of floor tiles, vermiculite, and/or heterogeneous soil samples be conducted by TEM for confirmation of "None Detected" by PLM. This report relates only to the samples tested and may not be reproduced, except in full, without the written approval of SAI. This report may not be used by the client to claim product endorsement by NVLAP or any other agency of the U.S. government. Analytical uncertainty available upon request. Scientific Analytical Institute participates in the NVLAP Proficiency Testing program. Unless otherwise noted blank sample correction was not performed. Estimated MDL is 0.1%.

Lachlan Krenz (7)

Analyst

Nathaniel J. Durham

Approved Signatory

Client: JTL services LLC
 Contact: John Leonard
 Address: 3999 Sanderosa Road
 Phone: Fayetteville NC 28312
 Fax: 910-237-3519
 Email: moldservicesjtl@aol.com
 Project: COF 0406-47-5257
 1299 Bingham Drive
 Client Notes: Fayetteville NC 28304
 Unit C
 P.O. #.
 Date Submitted: 7/1/2026 0:00
 Analysis: PLM
 TurnAroundTime: 12

Instructions:
 Use Column "B" for your contact info

To See an Example Click the
 bottom Example Tab.

Enter samples between "<<" and ">>"
 Begin Samples with a "<<" above the first sample
 and end with a ">>" below the last sample.
 Only Enter your data on the first sheet "Sheet1"

Note: Data 1 and Data 2 are optional
 fields that do not show up on the official
 report, however they will be included
 in the electronic data returned to you
 to facilitate your reintegration of the report data.

Scientific
 Analytical
 Institute



4604 Dundas Drive
 Greensboro, NC 27407
 Phone: 336.292.3888
 Fax: 336.292.3313
 Email: lab@sailab.com

10111940

<<

1 Bedroom wall joint compound	Joint Compound
2 Bedroom ceiling Surfacing	Surfacing
3 Sheetrock wall	Sheetrock
4 Kitchen ceiling joint compound	Joint Compound
5 Kitchen ceiling surfacing	Surfacing
6 Window Glaze	Window Glaze
7 Living room wall joint compound	Joint Compound

Accepted



Rejected



>>

Relinquished By

Received By

CP 7/1 10:30am



Scientific Analytical Institute
4604 Dundas Dr. Greensboro, NC 27407
Phone: 336.292.3888 Fax: 336.292.3313
www.sailab.com lab@sailab.com

Lab Use Only
Lab Order ID: 1940
Client Code: _____

Company Contact Information	
Company: JTL Services LLC	Contact: Jay Leonard
Address: 3999 Sanderosa Road	Phone ☒ : 910-237-3519
Fayetteville, NC 28312	Fax ☐ :
	Email ☒ : moldservicesjtl@aol.com

Billing/Invoice Information	Turn Around Times	
Company: Credit Card on File	90 Min. ☐	48 Hours ☐
Contact: COF 0406-17-5257	3 Hours ☐	72 Hours ☐
Address: 0406-47-5257	6 Hours ☐	96 Hours ☐
1299 Bingham Drive	12 Hours ☒	120 Hours ☐
Fayetteville NC 28304	24 Hours ☐	144+ Hours ☐

PO Number: Unit C
Project Name/Number:

Asbestos Test Types	
PLM EPA 600/R-93/116 (PLM)	☒
Positive stop	☐
PLM Point Count 400 (PT4)	☐
PLM Point Count 1000 (PTM)	☐
PCM NIOSH 7400-A Rules (PCM)	☐
B Rules (PCB) ☐	TWA (PTA) ☐
TEM AHERA (AHE)	☐
TEM Level II (LII)	☐
TEM NIOSH 7402 (TNI)	☐
TEM Bulk Qualitative (TBL)	☐
TEM Bulk Chatfield (TBS)	☐
TEM Bulk Quantitative (TBQ)	☐
TEM Wipe ASTM D6480-05	☐
TEM Microvac ASTM D5755-02	☐
TEM Water EPA 100.2 (TW1)	☐
Other: _____	☐

Sample ID #		Volume/Area	Comments
1	Bedroom wall joint compound		
2	Bedroom ceiling surfacing		
3	wall sheetrock		
4	ceiling joint compound		
5	kitchen ceiling surfacing		
6	windows glaze		
7	wall joint compound		


Total # of Samples _____

Relinquished by	Date/Time	Received by	Date/Time



Bulk Asbestos Analysis

By Polarized Light Microscopy
EPA Method: 600/R-93/116 and
40 CFR, Part 763, Subpart E, App.E



Customer: JTL Services
3999 Sanderosa Rd.
Fayetteville, NC 28312

Attn: Jay Leonard

Lab Order ID: 10111941

Analysis: PLM

Date Received: 07/01/2026

Date Reported: 07/01/2026

Project: COF 0406-47-5257 1299 Bingham Drive
Fayetteville NC 28304 Unit D

Sample ID	Description	Asbestos	Fibrous Components	Non-Fibrous Components	Attributes
Lab Sample ID	Lab Notes				Treatment
1	Sheetrock	None Detected	20% Cellulose	80% Other	Brown, Off-white Fibrous Homogeneous
10111941_0001					Crushed
2	Surfacing	None Detected		100% Other	White Non-Fibrous Homogeneous
10111941_0002					Crushed
3	Joint compound	None Detected		100% Other	White Non-Fibrous Homogeneous
10111941_0003					Crushed
4	Joint Compound	None Detected		100% Other	White Non-Fibrous Homogeneous
10111941_0004					Crushed
5	Joint compound	None Detected		100% Other	White Non-Fibrous Homogeneous
10111941_0005					Crushed
6	Joint compound	None Detected		100% Other	White Non-Fibrous Homogeneous
10111941_0006					Crushed
7	Joint Compound	None Detected		100% Other	White Non-Fibrous Homogeneous
10111941_0007					Crushed
8	Felt Paper	None Detected	60% Cellulose	40% Other	Black Fibrous Homogeneous
10111941_0008					Teased

Disclaimer: Due to the nature of the EPA 600 method, asbestos may not be detected in samples containing low levels of asbestos. We strongly recommend that analysis of floor tiles, vermiculite, and/or heterogenous soil samples be conducted by TEM for confirmation of "None Detected" by PLM. This report relates only to the samples tested and may not be reproduced, except in full, without the written approval of SAI. This report may not be used by the client to claim product endorsement by NVLAP or any other agency of the U.S. government. Analytical uncertainty available upon request. Scientific Analytical Institute participates in the NVLAP Proficiency Testing program. Unless otherwise noted blank sample correction was not performed. Estimated MDL is 0.1%.

Katelyn Stewart (11)

Analyst


Nathaniel Durham

Approved Signatory



Bulk Asbestos Analysis

By Polarized Light Microscopy
EPA Method: 600/R-93/116 and
40 CFR, Part 763, Subpart E, App.E



Customer: JTL Services
3999 Sanderosa Rd.
Fayetteville, NC 28312

Attn: Jay Leonard

Lab Order ID: 10111941

Analysis: PLM

Date Received: 07/01/2026

Date Reported: 07/01/2026

Project: COF 0406-47-5257 1299 Bingham Drive
Fayetteville NC 28304 Unit D

Sample ID	Description	Asbestos	Fibrous Components	Non-Fibrous Components	Attributes
Lab Sample ID	Lab Notes				Treatment
9	Shingles	None Detected	20% Fiber Glass	80% Other	Gray, Black Non-Fibrous Homogeneous
10111941_0009					Dissolved
10	Insulation	None Detected	98% Fiber Glass	2% Other	Pink Fibrous Homogeneous
10111941_0010					Teased
11	Insulation	None Detected	98% Fiber Glass	2% Other	White Fibrous Homogeneous
10111941_0011					Teased

Disclaimer: Due to the nature of the EPA 600 method, asbestos may not be detected in samples containing low levels of asbestos. We strongly recommend that analysis of floor tiles, vermiculite, and/or heterogenous soil samples be conducted by TEM for confirmation of "None Detected" by PLM. This report relates only to the samples tested and may not be reproduced, except in full, without the written approval of SAI. This report may not be used by the client to claim product endorsement by NVLAP or any other agency of the U.S. government. Analytical uncertainty available upon request. Scientific Analytical Institute participates in the NVLAP Proficiency Testing program. Unless otherwise noted blank sample correction was not performed. Estimated MDL is 0.1%.

Katelyn Stewart (11)

Analyst

Approved Signatory

Client: JTL services LLC
Contact: John Leonard
Address: 3999 Sanderosa Road
Phone: Fayetteville NC 28312
Fax: 910-237-3519
Email: moldservicesjtl@aol.com

Project: COF 0406-47-5257
1299 Bingham Drive
Client Notes: Fayetteville NC 28304
Unit D

P.O. #.
Date Submitted: 7/1/2026 0:00

Analysis: PLM
TurnAroundTime: 12

Instructions:
Use Column "B" for your contact info

To See an Example Click the
bottom Example Tab.

Enter samples between "<<" and ">>"
Begin Samples with a "<<" above the first sample
and end with a ">>" below the last sample.
Only Enter your data on the first sheet "Sheet1"

Note: Data 1 and Data 2 are optional
fields that do not show up on the official
report, however they will be included
in the electronic data returned to you
to facilitate your reintegration of the report data.

Scientific
Analytical
Institute



4604 Dundas Drive
Greensboro, NC 27407
Phone: 336.292.3888
Fax: 336.292.3313
Email: lab@sailab.com

10111941

<<

1 Garage wall sheetrock	Sheetrock	
2 Ceiling surfacing	Surfacing	Upstairs
3 Wall joint compound	Joint compound	Upstairs
4 Bathroom wall joint compound	Joint Compound	
5 Bedroom joint compound	Joint compound	
6 Living room wall joint compound	Joint compound	
7 Kitchen ceiling joint compound	Joint Compound	
8 Roofing felt paper	Felt Paper	
9 Roofing shingles	Shingles	
10 Wall insulation	Insulation	Pink
11 Ceiling Insulation	Insulation	White

>>

Accepted ☒
Rejected ☐

Relinquished By

Received By

CP 7/1 10:30AM



Scientific Analytical Institute
4604 Dundas Dr. Greensboro, NC 27407
Phone: 336.292.3888 Fax: 336.292.3313
www.sailab.com lab@sailab.com

Lab Use Only
Lab Order ID: 1941
Client Code: _____

Company Contact Information

Company: JTL Services LLC	Contact: Jay Leonard
Address: 3999 Sanderosa Road	Phone ☒ : 910-237-3519
Fayetteville, NC 28312	Fax ☐ :
	Email ☒ : moldservicesjtl@aol.com

Billing/Invoice Information

Company: Credit Card on File	90 Min. ☐	48 Hours ☐
Contact: CDF 0406-47-5257	3 Hours ☐	72 Hours ☐
Address: 1299 Bingham Drive	6 Hours ☐	96 Hours ☐
Fayetteville NC	12 Hours ☒	120 Hours ☐
28304	24 Hours ☐	144+ Hours ☐

PO Number:

UNIT D

Project Name/Number:

Asbestos Test Types

PLM EPA 600/R-93/116 (PLM)	☒
Positive stop	☐
PLM Point Count 400 (PT4)	☐
PLM Point Count 1000 (PTM)	☐
PCM NIOSH 7400-A Rules (PCM)	☐
B Rules (PCB) ☐ TWA (PTA) ☐	
TEM AHERA (AHE)	☐
TEM Level II (LII)	☐
TEM NIOSH 7402 (TNI)	☐
TEM Bulk Qualitative (TBL)	☐
TEM Bulk Chatfield (TBS)	☐
TEM Bulk Quantitative (TBQ)	☐
TEM Wipe ASTM D6480-05	☐
TEM Microvac ASTM D5755-02	☐
TEM Water EPA 100.2 (TW1)	☐
Other: _____	☐

Sample ID #		Volume/Area	Comments
1	Garage wall Sheetrock		
2	upstairs ceiling surfacing		
3	Upstairs wall joint compound		
4	Bathroom wall joint compound		
5	Bedroom wall joint compound		
6	Living Room wall joint compound		
7	Kitchen ceiling joint compound		
8	Roofing felt paper		
9	Roofing shingle		
10	wall Insulation pink		
11	ceiling Insulation white		

Total # of Samples _____

Relinquished by	Date/Time	Received by	Date/Time



Bulk Asbestos Analysis

By Polarized Light Microscopy
EPA Method: 600/R-93/116 and
40 CFR, Part 763, Subpart E, App.E



Customer: JTL Services
3999 Sanderosa Rd.
Fayetteville, NC 28312

Attn: Jay Leonard

Lab Order ID: 10110805

Analysis: PLM

Date Received: 06/18/2026

Date Reported: 06/18/2026

Project: COF 0429-15-5344 5329 Murchison Road
Fayetteville NC

Sample ID	Description	Asbestos	Fibrous Components	Non-Fibrous Components	Attributes
Lab Sample ID	Lab Notes				Treatment
1	Ceiling Surfacing	None Detected		100% Other	White Non-Fibrous Homogeneous
10110805_0001					Crushed
2	Ceiling Surfacing	None Detected		100% Other	White, Beige Non-Fibrous Homogeneous
10110805_0002	paint only; no surfacing				Dissolved
3	sheetrock	None Detected		100% Other	Off-white Non-Fibrous Homogeneous
10110805_0003					Crushed
4	joint compound	None Detected		100% Other	White Non-Fibrous Homogeneous
10110805_0004					Crushed
5	Attic insulation	None Detected	99% Fiber Glass	1% Other	Yellow Fibrous Homogeneous
10110805_0005					Teased
6	wall surfacing	None Detected		100% Other	Beige, White Non-Fibrous Homogeneous
10110805_0006	paint only; no surfacing				Dissolved
7	Ceiling tile	None Detected	60% Mineral Wool 30% Cellulose	10% Other	Tan Fibrous Homogeneous
10110805_0007					Teased
8 - A	tile flooring	None Detected		100% Other	Gray Non-Fibrous Homogeneous
10110805_0008	tile				Crushed

Disclaimer: Due to the nature of the EPA 600 method, asbestos may not be detected in samples containing low levels of asbestos. We strongly recommend that analysis of floor tiles, vermiculite, and/or heterogeneous soil samples be conducted by TEM for confirmation of "None Detected" by PLM. This report relates only to the samples tested and may not be reproduced, except in full, without the written approval of SAI. This report may not be used by the client to claim product endorsement by NVLAP or any other agency of the U.S. government. Analytical uncertainty available upon request. Scientific Analytical Institute participates in the NVLAP Proficiency Testing program. Unless otherwise noted blank sample correction was not performed. Estimated MDL is 0.1%.

Lachlan Krenz (12)

Analyst


Nathaniel Durham

Approved Signatory



Bulk Asbestos Analysis

By Polarized Light Microscopy
EPA Method: 600/R-93/116 and
40 CFR, Part 763, Subpart E, App.E



Customer: JTL Services
3999 Sanderosa Rd.
Fayetteville, NC 28312

Attn: Jay Leonard

Lab Order ID: 10110805

Analysis: PLM

Date Received: 06/18/2026

Date Reported: 06/18/2026

Project: COF 0429-15-5344 5329 Murchison Road
Fayetteville NC

Sample ID	Description	Asbestos	Fibrous Components	Non-Fibrous Components	Attributes
Lab Sample ID	Lab Notes				Treatment
8 - B	tile flooring	None Detected		100% Other	Yellow, Tan Non-Fibrous Homogeneous
10110805_0011	mastic				Ashed
9	tar	None Detected	80% Cellulose	20% Other	Black, Brown Fibrous Homogeneous
10110805_0009					Teased, Dissolved
10 - A	tile flooring	None Detected		100% Other	Gray Non-Fibrous Homogeneous
10110805_0010	tile				Crushed
10 - B	tile flooring	None Detected		100% Other	Yellow, Tan Non-Fibrous Homogeneous
10110805_0012	mastic				Ashed

Disclaimer: Due to the nature of the EPA 600 method, asbestos may not be detected in samples containing low levels of asbestos. We strongly recommend that analysis of floor tiles, vermiculite, and/or heterogenous soil samples be conducted by TEM for confirmation of "None Detected" by PLM. This report relates only to the samples tested and may not be reproduced, except in full, without the written approval of SAI. This report may not be used by the client to claim product endorsement by NVLAP or any other agency of the U.S. government. Analytical uncertainty available upon request. Scientific Analytical Institute participates in the NVLAP Proficiency Testing program. Unless otherwise noted blank sample correction was not performed. Estimated MDL is 0.1%.

Lachlan Krenz (12)

Analyst

Approved Signatory



Scientific Analytical Institute
4604 Dundas Dr. Greensboro, NC 27407
Phone: 336.292.3888 Fax: 336.292.3313
www.sailab.com lab@sailab.com

Lab Use Only
Lab Order ID: 10116805
Client Code: _____

Company Contact Information

Company: JTL Services LLC	Contact: Jay Leonard
Address: 3999 Sanderosa Road	Phone ☒ : 910-237-3519
Fayetteville, NC 28312	Fax ☐ :
	Email ☒ : moldservicesjtl@aol.com

Billing/Invoice Information

Company: Credit Card on File	90 Min. ☐	48 Hours ☐
Contact: CDF-0429-15-5344	3 Hours ☐	72 Hours ☐
Address: 5329 MURCHISON ROAD	6 Hours ☐	96 Hours ☐
Fayetteville NC	12 Hours ☒	120 Hours ☐
	24 Hours ☐	144+ Hours ☐

PO Number:

Project Name/Number:

Asbestos Test Types

PLM EPA 600/R-93/116 (PLM)	☒
Positive stop	☐
PLM Point Count 400 (PT4)	☐
PLM Point Count 1000 (PTM)	☐
PCM NIOSH 7400-A Rules (PCM)	☐
B Rules (PCB) ☐ TWA (PTA) ☐	
TEM AHERA (AHE)	☐
TEM Level II (LII)	☐
TEM NIOSH 7402 (TNI)	☐
TEM Bulk Qualitative (TBL)	☐
TEM Bulk Chatfield (TBS)	☐
TEM Bulk Quantitative (TBQ)	☐
TEM Wipe ASTM D6480-05	☐
TEM Microvac ASTM D5755-02	☐
TEM Water EPA 100.2 (TW1)	☐
Other: _____	☐

Sample ID #	Volume/Area	Comments
1	Bathroom Paint ceiling surfacing	
2	FRONT office ceiling surfacing	
3	wall Sheetrock	
4	Bathroom rear wall joint compound	
5	Attic Insulation	yellow
6	surfacing FRONT wall office	
7	ceiling tile	
8	Tile Flooring	main floor white
9	Roofing roof TAR	
10	Tile Flooring	main floor gray

Accepted ☒

Total # of Samples _____

Relinquished by	Date/Time	Rejected ☐	Received by	Date/Time
			yes 6-18 10:30	en

Page ____ of ____

A-F-017 EXP: 12-1-13

10110805

Client: JTL services LLC
Contact: John Leonard
Address: 3999 Sanderosa Road
Phone: Fayetteville NC 28312
Fax: 910-237-3519
Email: moldservicesjtl@aol.com

Project: COF 0429-15-5344
Client Notes: 5329 Murchison Road
 Fayetteville NC

P.O. #:
Date Submitted: 6/17/2026 0:00

Analysis: PLM
TurnAroundTime: 12

Instructions:
 Use Column "B" for your contact info

 To See an Example Click the
 bottom Example Tab.

 Enter samples between "<<" and ">>"
 Begin Samples with a "<<" above the first sample
 and end with a ">>" below the last sample.
 Only Enter your data on the first sheet "Sheet1"

 Note: Data 1 and Data 2 are optional
 fields that do not show up on the official
 report, however they will be included
 in the electronic data returned to you
 to facilitate your reintegration of the report data.

**Scientific
Analytical
Institute**


**4604 Dundas Drive
Greensboro, NC 27407
Phone: 336.292.3888
Fax: 336.292.3313
Email: lab@sailab.com**

<<			
1 Bathroom ceiling surfacing	Ceiling Surfacing		Front bathroom
2 Office ceiling surfacing	Ceiling Surfacing		Front office
3 Wall sheetrock	sheetrock		
4 Bathroom wall joint compound	joint compound		Rear bathroom
5 Attic insulation	Attic insulation		yellow
6 Office wall surfacing	wall surfacing		
7 Ceiling tile	Ceiling tile		
8 Tile flooring	tile flooring		main floor white
9 Roofing tar	tar		
10 Tile flooring	tile flooring		main floor gray
>>			

shed By

Received By



Bulk Asbestos Analysis

By Polarized Light Microscopy
EPA Method: 600/R-93/116 and
40 CFR, Part 763, Subpart E, App.E



Customer: JTL Services
3999 Sanderosa Rd.
Fayetteville, NC 28312

Attn: Jay Leonard

Lab Order ID: 10110798

Analysis: PLM

Date Received: 06/18/2026

Date Reported: 06/18/2026

Project: COF 0437-35-3989 429 Chatham Street
Fayetteville NC

Sample ID	Description	Asbestos	Fibrous Components	Non-Fibrous Components	Attributes
Lab Sample ID	Lab Notes				Treatment
1	Attic insulation	None Detected	95% Cellulose	5% Other	Brown Fibrous Homogeneous
10110798_0001					Teased
2	Shingle	None Detected	30% Fiber Glass	70% Other	Gray Non-Fibrous Homogeneous
10110798_0002					Dissolved
3	felt	None Detected	90% Cellulose	10% Other	Black Fibrous Homogeneous
10110798_0003					Teased
4	shingle wrap	None Detected	30% Fiber Glass 10% Cellulose	60% Other	Black Non-Fibrous Homogeneous
10110798_0004					Ashed
5	window glaze	None Detected		100% Other	Gray Non-Fibrous Homogeneous
10110798_0005					Ashed
6	sheetrock	None Detected	5% Cellulose	95% Other	White Non-Fibrous Homogeneous
10110798_0006					Crushed
7	sheetrock	None Detected	5% Cellulose	95% Other	White Non-Fibrous Homogeneous
10110798_0007					Crushed
8	Ceiling	None Detected	95% Cellulose	5% Other	Brown Fibrous Homogeneous
10110798_0008					Teased

Disclaimer: Due to the nature of the EPA 600 method, asbestos may not be detected in samples containing low levels of asbestos. We strongly recommend that analysis of floor tiles, vermiculite, and/or heterogenous soil samples be conducted by TEM for confirmation of "None Detected" by PLM. This report relates only to the samples tested and may not be reproduced, except in full, without the written approval of SAI. This report may not be used by the client to claim product endorsement by NVLAP or any other agency of the U.S. government. Analytical uncertainty available upon request. Scientific Analytical Institute participates in the NVLAP Proficiency Testing program. Unless otherwise noted blank sample correction was not performed. Estimated MDL is 0.1%.

William Blackburn (14)

Analyst


Nathaniel Durham

Approved Signatory



Bulk Asbestos Analysis

By Polarized Light Microscopy
EPA Method: 600/R-93/116 and
40 CFR, Part 763, Subpart E, App.E



Customer: JTL Services
3999 Sanderosa Rd.
Fayetteville, NC 28312

Attn: Jay Leonard

Lab Order ID: 10110798

Analysis: PLM

Date Received: 06/18/2026

Date Reported: 06/18/2026

Project: COF 0437-35-3989 429 Chatham Street
Fayetteville NC

Sample ID	Description	Asbestos	Fibrous Components	Non-Fibrous Components	Attributes
Lab Sample ID	Lab Notes				Treatment
9 - A	Flooring	None Detected		100% Other	Gray Non-Fibrous Homogeneous
10110798_0009	tile				Ashed
9 - B	Flooring	None Detected		100% Other	Brown Non-Fibrous Homogeneous
10110798_0013	mastic				Ashed
10 - A	tile flooring	None Detected		100% Other	Beige Non-Fibrous Homogeneous
10110798_0010	tile				Ashed
10 - B	tile flooring	None Detected		100% Other	Gray Non-Fibrous Homogeneous
10110798_0014	mastic				Ashed
11	Ceiling surfacing	None Detected		100% Other	White, Gray Non-Fibrous Homogeneous
10110798_0011					Crushed
12	Joint compound	None Detected	5% Cellulose	95% Other	White Non-Fibrous Homogeneous
10110798_0012					Crushed

Disclaimer: Due to the nature of the EPA 600 method, asbestos may not be detected in samples containing low levels of asbestos. We strongly recommend that analysis of floor tiles, vermiculite, and/or heterogenous soil samples be conducted by TEM for confirmation of "None Detected" by PLM. This report relates only to the samples tested and may not be reproduced, except in full, without the written approval of SAI. This report may not be used by the client to claim product endorsement by NVLAP or any other agency of the U.S. government. Analytical uncertainty available upon request. Scientific Analytical Institute participates in the NVLAP Proficiency Testing program. Unless otherwise noted blank sample correction was not performed. Estimated MDL is 0.1%.

William Blackburn (14)

Analyst

Approved Signatory



Scientific Analytical Institute
4604 Dundas Dr. Greensboro, NC 27407
Phone: 336.292.3888 Fax: 336.292.3313
www.sailab.com lab@sailab.com

Lab Use Only
Lab Order ID: 10110798
Client Code: _____

Company Contact Information

Company: JTL Services LLC	Contact: Jay Leonard
Address: 3999 Sandevosa Road	Phone ☒ : 910-237-3519
Fayetteville, NC 28312	Fax ☐ :
	Email ☒ : moldservicesjtl@aol.com

Billing/Invoice Information

Company: Credit Card on File	90 Min. ☐	48 Hours ☐
Contact: COF- 0437-56-3989	3 Hours ☐	72 Hours ☐
Address: 429 Chatham Street	6 Hours ☐	96 Hours ☐
Fayetteville NC	12 Hours ☒	120 Hours ☐
	24 Hours ☐	144+ Hours ☐

PO Number:

Project Name/Number:

Asbestos Test Types

PLM EPA 600/R-93/116 (PLM)	☒
Positive stop	☐
PLM Point Count 400 (PT4)	☐
PLM Point Count 1000 (PTM)	☐
PCM NIOSH 7400-A Rules (PCM)	☐
B Rules (PCB) ☐ TWA (PTA) ☐	
TEM AHERA (AHE)	☐
TEM Level II (LII)	☐
TEM NIOSH 7402 (TNI)	☐
TEM Bulk Qualitative (TBL)	☐
TEM Bulk Chatfield (TBS)	☐
TEM Bulk Quantitative (TBQ)	☐
TEM Wipe ASTM D6480-05	☐
TEM Microvac ASTM D5755-02	☐
TEM Water EPA 100.2 (TW1)	☐
Other: _____	☐

Sample ID #		Volume/Area	Comments
1	Attic Insulation		
2	Roofing shingle		
3	Roofing Felt		
4	siding shingle wrap		corner vinyl/siding
5	window glaze		
6	walls sheetrock		
7	ceiling sheetrock		
8	ceiling materials		
9	Kitchen Flooring Vinyl	TOP	
10	Kitchen Tile Bottom		@ Dining Room
11	Kitchen ceiling surfacing		Gray color
12	Kitchen wall joint compound		

Total # of Samples _____

Relinquished by	Date/Time	Received by	Date/Time
		yes 10-15 10:30	

10110798

Client: JTL services LLC
Contact: John Leonard
Address: 3999 Sanderosa Road
Phone: Fayetteville NC 28312
Fax: 910-237-3519
Email: moldservicesjtl@aol.com

Project: COF 0437-35-3989
Client Notes: 429 Chatham Street
 Fayetteville NC

P.O. #:
Date Submitted: 6/17/2026 0:00

Analysis: PLM
TurnAroundTime: 12

Instructions:
 Use Column "B" for your contact info

 To See an Example Click the
 bottom Example Tab.

 Enter samples between "<<" and ">>"
 Begin Samples with a "<<" above the first sample
 and end with a ">>" below the last sample.
 Only Enter your data on the first sheet "Sheet1"

 Note: Data 1 and Data 2 are optional
 fields that do not show up on the official
 report, however they will be included
 in the electronic data returned to you
 to facilitate your reintegration of the report data.

**Scientific
Analytical
Institute**


**4604 Dundas Drive
Greensboro, NC 27407
Phone: 336.292.3888
Fax: 336.292.3313
Email: lab@sailab.com**

Sample Number Date Sample Description Data

<<			
1	Attic Insulation	Attic insulation	
2	Roofing shingle	Shingle	
3	Roofing felt	felt	
4	Siding shingle wrap	shingle wrap	under vinyl siding
5	Window glaze	window glaze	
6	Walls Sheetrock	sheetrock	
7	Ceiling sheetrock	sheetrock	
8	Ceiling materials	Ceiling	
9	Kitchen floor vinyl	Flooring	TOP layer
10	Kitchen tile	tile flooring	BOTTOM layer and dining room
11	Kitchen ceiling surfacing	Ceiling surfacing	gray color
12	Kitchen wall joint compound	Joint compound	
>>			

shed By

Received By



Bulk Asbestos Analysis

By Polarized Light Microscopy
EPA Method: 600/R-93/116 and
40 CFR, Part 763, Subpart E, App.E



Customer: JTL Services
3999 Sanderosa Rd.
Fayetteville, NC 28312

Attn: Jay Leonard

Lab Order ID: 10110809

Analysis: PLM

Date Received: 06/18/2026

Date Reported: 06/18/2026

Project: COF 0437-61-2196 419 Hall Street
Fayetteville NC

Sample ID	Description	Asbestos	Fibrous Components	Non-Fibrous Components	Attributes
Lab Sample ID	Lab Notes				Treatment
1	Ceiling Surfacing	None Detected		100% Other	White Non-Fibrous Homogeneous
10110809_0001					Crushed
2	sheetrock	None Detected		100% Other	Gray Non-Fibrous Homogeneous
10110809_0002					Crushed
3	Ceiling Surfacing	None Detected		100% Other	White Non-Fibrous Homogeneous
10110809_0003					Crushed
4	ceiling	2% Chrysotile		98% Other	White Non-Fibrous Homogeneous
10110809_0004					Crushed
5	Ceiling Surfacing	None Detected		100% Other	White Non-Fibrous Homogeneous
10110809_0005					Crushed
6	Ceiling Surfacing	None Detected		100% Other	White Non-Fibrous Homogeneous
10110809_0006					Crushed
7	Ceiling Surfacing	None Detected		100% Other	White Non-Fibrous Homogeneous
10110809_0007					Crushed
8	Shingle	None Detected	10% Cellulose	90% Other	Black Non-Fibrous Homogeneous
10110809_0008					Dissolved

Disclaimer: Due to the nature of the EPA 600 method, asbestos may not be detected in samples containing low levels of asbestos. We strongly recommend that analysis of floor tiles, vermiculite, and/or heterogeneous soil samples be conducted by TEM for confirmation of "None Detected" by PLM. This report relates only to the samples tested and may not be reproduced, except in full, without the written approval of SAI. This report may not be used by the client to claim product endorsement by NVLAP or any other agency of the U.S. government. Analytical uncertainty available upon request. Scientific Analytical Institute participates in the NVLAP Proficiency Testing program. Unless otherwise noted blank sample correction was not performed. Estimated MDL is 0.1%.

Leo Shaffer (11)

Analyst


Nathaniel Durham

Approved Signatory



Bulk Asbestos Analysis

By Polarized Light Microscopy
EPA Method: 600/R-93/116 and
40 CFR, Part 763, Subpart E, App.E



Customer: JTL Services
3999 Sanderosa Rd.
Fayetteville, NC 28312

Attn: Jay Leonard

Lab Order ID: 10110809

Analysis: PLM

Date Received: 06/18/2026

Date Reported: 06/18/2026

Project: COF 0437-61-2196 419 Hall Street
Fayetteville NC

Sample ID	Description	Asbestos	Fibrous Components	Non-Fibrous Components	Attributes
Lab Sample ID	Lab Notes				Treatment
9	Felt	2% Chrysotile	90% Cellulose	8% Other	Black Fibrous Homogeneous
10110809_0009					Ashed
10	Felt	None Detected	90% Cellulose	10% Other	Black Fibrous Homogeneous
10110809_0010					Ashed
11	Transite siding	10% Chrysotile		90% Other	Gray Non-Fibrous Homogeneous
10110809_0011					Crushed

Disclaimer: Due to the nature of the EPA 600 method, asbestos may not be detected in samples containing low levels of asbestos. We strongly recommend that analysis of floor tiles, vermiculite, and/or heterogeneous soil samples be conducted by TEM for confirmation of "None Detected" by PLM. This report relates only to the samples tested and may not be reproduced, except in full, without the written approval of SAI. This report may not be used by the client to claim product endorsement by NVLAP or any other agency of the U.S. government. Analytical uncertainty available upon request. Scientific Analytical Institute participates in the NVLAP Proficiency Testing program. Unless otherwise noted blank sample correction was not performed. Estimated MDL is 0.1%.

Leo Shaffer (11)

Analyst

Approved Signatory



Scientific Analytical Institute
4604 Dundas Dr. Greensboro, NC 27407
Phone: 336.292.3888 Fax: 336.292.3313
www.sailab.com lab@sailab.com

Lab Use Only
Lab Order ID: 16110809
Client Code: _____

Company Contact Information	
Company: JTL Services LLC	Contact: Jay Leonard
Address: 3999 Sandevosa Road	Phone ☒ : 910-237-3519
Fayetteville, NC 28312	Fax ☐ :
	Email ☒ : moldservicesjtl@aol.com

Billing/Invoice Information	Turn Around Times
Company: Credit Card on File	90 Min. ☐ 48 Hours ☐
Contact: CDF 0437-61-2196	3 Hours ☐ 72 Hours ☐
Address: 419 Hall Street	6 Hours ☐ 96 Hours ☐
Fayetteville NC	12 Hours ☒ 120 Hours ☐
	24 Hours ☐ 144+ Hours ☐

PO Number:
Project Name/Number:

Asbestos Test Types	
PLM EPA 600/R-93/116 (PLM)	☒
Positive stop	☐
PLM Point Count 400 (PT4)	☐
PLM Point Count 1000 (PTM)	☐
PCM NIOSH 7400-A Rules (PCM)	☐
B Rules (PCB) ☐ TWA (PTA) ☐	
TEM AHERA (AHE)	☐
TEM Level II (LII)	☐
TEM NIOSH 7402 (TNI)	☐
TEM Bulk Qualitative (TBL)	☐
TEM Bulk Chatfield (TBS)	☐
TEM Bulk Quantitative (TBQ)	☐
TEM Wipe ASTM D6480-05	☐
TEM Microvac ASTM D5755-02	☐
TEM Water EPA 100.2 (TW1)	☐
Other: _____	☐

Sample ID #		Volume/Area	Comments
1	Foyer ceiling surfacing		
2	Foyer sheetrock wall		
3	Room Right side ceiling surfacing		
4	Kitchen ceiling		
5	Front Left Room ceiling surfacing		
6	Front Right Room ceiling surfacing		8 JOINT COMPART
7	Foyer ceiling surfacing		
8	Roofing shingle		
9	Roofing felt		
10	Felt wrap	Under	Transite siding
11	Transite siding		

Total # of Samples _____

Relinquished by	Date/Time	Received by	Date/Time
		yes 6-18 10:30	cr

Accepted ☒
Rejected ☐

Page _____ of _____
A-F-017 EXP: 12-1-13

10110809

Client: JTL services LLC
Contact: John Leonard
Address: 3999 Sanderosa Road
Phone: Fayetteville NC 28312
Fax: 910-237-3519
Email: moldservicesjtl@aol.com

Project: COF 0437-61-2196
Client Notes: 419 Hall Street
 Fayetteville NC

P.O. #:
Date Submitted: 6/17/2026 0:00

Analysis: PLM
TurnAroundTime: 12

Instructions:
 Use Column "B" for your contact info

 To See an Example Click the
 bottom Example Tab.

 Enter samples between "<<" and ">>"
 Begin Samples with a "<<" above the first sample
 and end with a ">>" below the last sample.
 Only Enter your data on the first sheet "Sheet1"

 Note: Data 1 and Data 2 are optional
 fields that do not show up on the official
 report, however they will be included
 in the electronic data returned to you
 to facilitate your reintegration of the report data.

**Scientific
 Analytical
 Institute**


**4604 Dundas Drive
 Greensboro, NC 27407
 Phone: 336.292.3888
 Fax: 336.292.3313
 Email: lab@sailab.com**

<<		
1 Foyer ceiling surfacing	Ceiling Surfacing	
2 Foyer Sheetrock wall	sheetrock	
3 Room ceiling surfacing	Ceiling Surfacing	right side room
4 Kitchen ceiling	ceiling	
5 Room ceiling surfacing	Ceiling Surfacing	Front left room
6 Room ceiling surfacing	Ceiling Surfacing	Front right room
7 Foyer ceiling surfacing	Ceiling Surfacing	
8 Roofing shingle	Shingle	
9 Roofing felt	Felt	
10 Felt wrap	Felt	
11 Transite	Transite siding	Under transite siding
>>		

shed By

Received By

429 Chatham Street



(Windows shall be reasonably weathertight with no broken glass; Roof covering shall not be loose, nor have holes or leaks.)

429 Chatham Street



(All exterior surfaces shall be maintained in good condition. All exterior finish shall be weathertight without excessive holes, cracks or rotted boards which permit air or water to penetrate rooms.)

429 Chatham Street



(Floors, walls, ceilings and fixtures shall be maintained in a clean and sanitary condition)

429 Chatham Street



(All exterior surfaces, including but not limited to, doors, door and window frames, cornices, porches, trim, balconies, decks and fences, shall be maintained in good condition.)

104 Fleishman Street



(All exterior finish shall be weathertight without excessive holes, cracks or rotted boards which permit air or water to penetrate rooms; Roof covering shall not be loose, nor have holes or leaks.)

104 Fleishman Street



(Flooring shall be reasonably smooth, not rotten or worn through, and without holes or excessive cracks which permit air to penetrate rooms)

104 Fleishman Street



(All exterior finish shall be weathertight without excessive holes, cracks or rotted boards which permit air or water to penetrate rooms; Flooring shall be reasonably smooth, not rotten or worn through, and without holes or excessive cracks which permit air to penetrate rooms)

104 Fleishman Street



(All exterior finish shall be weathertight without excessive holes, cracks or rotted boards which permit air or water to penetrate rooms)

419 Hall Street



(All exterior finish shall be weathertight without excessive holes, cracks or rotted boards which permit air or water to penetrate rooms; Roof covering shall not be loose, nor have holes or leaks.)

419 Hall Street



(Roof covering shall not be loose, nor have holes or leaks; All exterior surfaces, including but not limited to, doors, door and window frames, cornices, porches, trim, balconies, decks and fences, shall be maintained in good condition)

419 Hall Street



(All exterior finish shall be weathertight without excessive holes, cracks or rotted boards which permit air or water to penetrate rooms; Windows shall be reasonably weathertight; Roof covering shall not be loose, nor have holes or leaks.)

419 Hall Street



May 4, 2026 at 1:48:01 PM
Derek D Planter Jr
Code Enforcement Supervisor



May 4, 2026 at 1:48:48 PM
Derek D Planter Jr
Code Enforcement Supervisor

(All exterior finish shall be weathertight without excessive holes, cracks or rotted boards which permit air or water to penetrate rooms; Windows shall be reasonably weathertight)

1299 Bingham Drive




(All exterior finish shall be weathertight without excessive holes, cracks or rotted boards which permit air or water to penetrate rooms; Roof covering shall not be loose, nor have holes or leaks.)

1299 Bingham Drive



(Roof covering shall not be loose, nor have holes or leaks; Stairs and steps shall be free of holes, grooves and cracks large enough to constitute accident hazards)

1299 Bingham Drive




(All exterior finish shall be weathertight without excessive holes, cracks or rotted boards which permit air or water to penetrate rooms; Windows shall be reasonably weathertight; Roof covering shall not be loose, nor have holes or leaks.)

1299 Bingham Drive



(All exterior finish shall be weathertight without excessive holes, cracks or rotted boards which permit air or water to penetrate rooms; Windows shall be reasonably weathertight)

1299 Bingham Drive



(Roof covering shall not be loose, nor have holes or leaks All exterior surfaces, shall be maintained in good condition; Buildings to be secured.)

5329 Murchison Road



(Windows shall be reasonably weathertight with no broken glass; Roof covering shall not be loose, nor have holes or leaks.)

5329 Murchison Road



(All exterior surfaces shall be maintained in good condition. All exterior finish shall be weathertight without excessive holes, cracks or rotted boards which permit air or water to penetrate rooms.)

5329 Murchison Road



(Exterior wood surfaces, other than decay-resistant woods, shall be protected;
unpermitted alterations)

5329 Murchison Road



(All exterior surfaces, including but not limited to, doors, door and window frames, cornices, porches, trim, balconies, decks and fences, shall be maintained in good condition.)

5329 Murchison Road



Apr 9, 2026 at 3:03:25 PM
Dereke D Planter Jr.
Code Enforcement Supervisor



Apr 9, 2026 at 3:03:37 PM
Dereke D Planter Jr.
Code Enforcement Supervisor

(All exterior finish shall be weathertight without excessive holes, cracks or rotted boards which permit air or water to penetrate rooms; Roof covering shall not be loose, nor have holes or leaks; Windows shall be reasonably weathertight with no broken glass)

**CITY OF FAYETTEVILLE
GENERAL CONTRACTING AGREEMENT
DEMOLITION AND/OR LOT CLEANING**

This agreement (“Agreement”) is made this ____ day of ____, 2026 between **VENDOR** henceforth known as “Contractor,” and the **City of Fayetteville**, henceforth known as “City” (collectively, the “Parties,” and individually, a “Party”).

Pursuant to the work described in the **Proposal (Exhibit A)** provided by **VENDOR**, the Contractor, and the City agree to the following:

**Section 1
The Work**

The Contractor and the City agree that the following scope of work will be done for: **Scope of Work**

Total Project Bid: A m o u n t

**Section 2
Timeline**

The Contractor and the City agree that the work detailed above will be completed according to the following timeline:

Work Start: **Start Date**

Work Completion: **Completion Date**

Any delays that arise during the course of the work must be discussed with the City immediately and documented in writing within forty-eight (48) hours.

(a) Liquidated Damages: Time is of the essence in this Agreement. The Parties acknowledge that delays in completion will cause the City to incur additional costs and damages that are difficult to precisely calculate. Therefore, should the Contractor fail to complete the work by the Completion Date specified in Section 2, Contractor shall pay to the City liquidated damages in the amount of \$ 500.00 per calendar day for each day beyond the Completion Date, not as a penalty but as a reasonable estimate of actual damages the City will sustain.

Liquidated damages may be withheld from payments due to Contractor. The assessment of liquidated damages shall not relieve Contractor of its obligation to complete the work nor shall it be construed as a waiver of any other rights or remedies available to the City.

Extensions of time may be granted only for delays beyond Contractor's control, including acts of God, unforeseeable site conditions, or City-requested changes, provided Contractor submits written notice within forty-eight (48) hours of the delay with supporting documentation.

Section 3 Payment

The City agrees to pay the Contractor a total of **Amount** payable in the following manner:

Within thirty (30) days of receipt of invoice.

Final payment shall be withheld until final inspection is completed, the site is accepted by the City in writing, and all required documentation including disposal receipts and clearance certificates are provided.

Section 4 Changes

Any changes made to plans, materials used, time needed, or any other portion of the work must be discussed with the City prior to any decisions. No changes shall be made without written authorization from the City.

(a) Changed Conditions: If Contractor encounters subsurface or concealed conditions that differ materially from those indicated in the contract documents or from conditions normally encountered in work of this nature (including but not limited to underground storage tanks, contaminated soil, undocumented utilities, archaeological findings, or hazardous materials not identified in pre-demolition surveys), Contractor shall immediately stop work in the affected area and notify the City in writing before proceeding.

The City will investigate the conditions within five (5) business days and determine appropriate action, which may include contract modification and equitable adjustment to contract price and time. Contractor shall not be entitled to additional compensation or time if Contractor fails to provide immediate written notice as required.

Section 5 Permits and Licensing

- (a) Contractor agrees to secure any and all permits necessary so that this work will be done within the parameters of the laws of **North Carolina**. Required permits may include, but are not limited to:
- Building demolition permit from City of Fayetteville (if demolition work)
 - Land disturbance/grading permit (if lot clearing)

- Right-of-way permits (if applicable)
- Erosion and sediment control permit
- Stormwater permits (if disturbing one or more acres)
- Tree removal permits (if required by local ordinance)
- Any other federal, state, or local permits as required

Contractor agrees that any fees for these permits are already included in the total amount charged to the City.

(b) General Contractor License, if Applicable Based Upon Cost of Work: Contractor shall maintain a valid North Carolina General Contractor's License issued by the North Carolina Licensing Board for General Contractors throughout the duration of this Agreement. Contractor shall provide proof of current licensure prior to commencing work.

(c) Asbestos Certification (If Demolition Work): If the work involves demolition or renovation of structures built before 1981, or if asbestos-containing materials (ACM) are present or suspected:

(1) Contractor shall hold a valid North Carolina Asbestos Contractor's License issued by the North Carolina Department of Health and Human Services (NCDHHS) Asbestos Certification and Training Program.

(2) All workers engaged in asbestos removal, encapsulation, or enclosure shall be certified asbestos workers through the NCDHHS program.

(3) An on-site asbestos supervisor, certified by NCDHHS, shall be present during all asbestos abatement activities.

(4) Contractor shall comply with all requirements of the North Carolina Asbestos Hazard Management Act (NCGS §130A-444 et seq.) and NC Administrative Code Title 15A, Subchapter 13D.

(d) Asbestos Survey Requirement (If Demolition Work): Prior to any demolition work on structures built before 1981, Contractor shall provide the City with a thorough asbestos survey conducted by a North Carolina certified asbestos building inspector. No demolition shall commence until the survey is completed, reviewed, and approved by the City.

(e) Asbestos Notification (If Demolition Work): If asbestos removal is required, Contractor shall file required notifications with:

- North Carolina Department of Environmental Quality (NCDEQ), Division of Air Quality at least ten (10) working days prior to commencement
- EPA Region 4 (as required under NESHAP regulations)

(f) Lead-Based Paint Certification (If Demolition Work and Structure is Occupied): For structures built before 1978, Contractor shall: (1) Hold EPA Lead-Safe Certification (RRP Rule) (2) Employ only EPA-certified renovators (3) Follow lead-safe work practices as required by 40 CFR Part 402

(g) Waste Transporter License: If transporting asbestos or other regulated waste, Contractor shall hold appropriate licenses from NCDEQ for hazardous waste transportation.

(h) License Verification: Contractor shall provide copies of all required licenses, certifications, and permits to the City within five (5) business days of execution of this Agreement and upon renewal during the term of the Agreement. Failure to maintain valid licenses shall be grounds for immediate termination.

(i) Compliance with OSHA: Contractor shall comply with all applicable Occupational Safety and Health Administration (OSHA) regulations, including 29 CFR 1926.1101 (asbestos standards for construction), 29 CFR 1926.850 (demolition standards), and 29 CFR 1926 Subpart R (steel erection and demolition).

(b)

Section 6 Workers

Contractor agrees that any laborer, subcontractor and/or employee that he/she hires for the purposes of this project is legally permitted to work in this function in this Country.

Contractor is an independent contractor and has no authority to act as an agent of the City, nor enter into any contract or agreement for or on behalf of the City. Contractor is not an employee of the City and is not entitled to any benefits provided employees of the City, including, but not limited to, workers' compensation, medical care, leave benefits and retirement. Contractor shall be responsible for the payment of all federal, state, and local taxes that may be due as a result of this Agreement.

Section 7 Subcontractors

The City agrees that the Contractor may hire subcontractors at his/her discretion, provided that Contractor agrees that the payment for said subcontractor is entirely the Contractor's responsibility. The City is not in any way liable for a subcontractor's missed payment.

All subcontractors performing asbestos abatement, lead paint removal, or other specialized work must hold all required certifications and licenses as specified in Section 5.

Section 8 Insurance Requirements

The Contractor shall not commence work under this Agreement until he has obtained all

insurance required under this paragraph, and such insurance has been approved by the City, nor shall the Contractor allow any subcontractor to commence work on his subcontract until all similar insurance has been so obtained and approved.

The insurance required for this Agreement is as follows:

(a) Commercial General Liability: The Contractor obtain and maintain during the life of this Agreement, commercial general liability insurance with limits of \$1,000,000.00 per occurrence and \$2,000,000.00 in the aggregate.

(b) Commercial Automobile Liability: The Contractor obtain and maintain during the life of this Agreement, commercial automobile liability insurance with limits of no less than \$250,000.00 per person, \$500,000.00 per occurrence for bodily injury and \$1,000,000.00 for property damage covering owned, non-owned, and hired automobiles.

(c) Workers' Compensation and Employers' Liability Insurance: If the Contractor employs three or more employees, the Contractor shall obtain and maintain during the life of this Agreement, workers' compensation insurance with limits for Coverage A Statutory – State of North Carolina, as required by the laws of the State of North Carolina, and Coverage B Employers' Liability with limits of \$500,000.00 each accident and policy limit, including occupational disease coverage with limits of \$500,000.00 for each employee, for all employees employed on the project. In case any employee(s) engaged in work under this Agreement is or are not protected under the Workers' Compensation Statute, the Contractor shall provide adequate coverage for the protection of employees not otherwise protected.

(d) Acceptability of Insurance: All insurance policies shall be written by insurers licensed to do business in North Carolina. The City acknowledges that certain business activities may not be readily insurable by admitted carriers. If insurance is written by non-admitted carriers whose names appear on the current listing of approved and non-admitted carriers prepared by the North Carolina Department of Insurance, such carriers will be favorably considered assuming they meet all other requirements. Non-admitted carriers should be so identified on the Certificate of Insurance form. The City reserves the right to reject any and all certificates or policies issued by insurers with an A.M. Best's Financial Strength Credit Rating less than A.

(e) Indemnity Provision: To the extent permitted by law, the Contractor agrees to defend, indemnify and hold harmless the City, its elected officials, employees and agents from any and all liability and claims for any injury or damage caused by any act, omission or negligence of the Contractor or its agents, servants, employees, subcontractors, licensees, invitees, officials, successors and assignees. Contractor assumes entire responsibility and liability for losses, expenses, demands and claims in connection with or arising out of any injury, or alleged injury (including death) to any person, or damage, or alleged damage, to property of the City or others sustained or alleged to have been sustained in connection with or to have arisen out of or resulting from the negligence of

the Contractor or its agents, servants, employees, subcontractors, licensees, invitees, officials, successors and assignees, in the performance of the work/service for the project under this Agreement.

(f) Other Provisions:

- (1) Any deductible or self-insured retention must be declared to and approved by the City.
- (2) The policies are to contain, or be endorsed to contain, the following provisions:
 - (a) The City must be named as an additional insured.
 - (b) The Contractor's insurance coverage shall be primary insurance covering the City. Any insurance or self-insurance maintained by the City shall be in excess of Contractor's insurance and shall not contribute with Contractor's insurance.
 - (c) Coverage shall state that Contractor's insurance shall apply separately to each insured against whom claim is made or suit is brought, except with respect to the limits of the insurer's liability.
 - (d) Each insurance policy required by this clause shall be endorsed to state that coverage shall not be suspended, voided, canceled by either Contractor, reduced in coverage or in limits except after thirty (30) days prior written notice by certified mail, return receipt requested, has been given to:

City of Fayetteville
Finance Department
433 Hay Street
Fayetteville, NC 28301

Any failure to comply with reporting provisions of the policies shall not affect coverage provided to the City, its officials, employees, and volunteers. In the event the City is damaged by the failure of the Contractor to maintain such insurance and to so notify the City, the Contractor shall bear all reasonable costs properly attributable thereto.

- (e) Contractor shall include all subcontractors as insurers under its policies OR shall furnish separate certificates and endorsements for each subcontractor. All coverages for subcontractors shall be subject to all requirements stated

herein.

- (f) Any insurance coverage required by the terms of this Agreement shall not be deemed a contract of insurance purchased by the City nor a waiver of the City's immunity pursuant to NCGS § 160A-485.

Section 9

Environmental Compliance and Hazardous Materials

(a) Environmental Regulations: The Contractor shall comply with all federal, state, and local environmental regulations including but not limited to the North Carolina Asbestos Hazard Management Act (if demolition work), EPA RRP Rule for lead paint (if demolition work), North Carolina Sedimentation Pollution Control Act, North Carolina Solid Waste Management Act, and all applicable air quality regulations.

(b) Hazardous Materials (If Demolition Work): If hazardous materials are discovered during the course of work that were not identified in pre-demolition surveys, Contractor shall immediately stop work, secure the area, and notify the City and appropriate regulatory agencies. Work shall not resume until proper abatement procedures are approved and implemented.

(c) Disposal Documentation: Contractor shall dispose of all demolition debris, cleared vegetation, stumps, asbestos-containing materials (if applicable), lead paint waste (if applicable), and other regulated materials at facilities licensed to accept such waste. Contractor shall provide the City with all disposal receipts, manifests, and clearance certificates upon completion of work and prior to final payment.

Section 10

Utility Notification and Protection

Contractor agrees to contact NC 811 (North Carolina One Call) at least three (3) business days prior to any excavation, demolition, or land clearing and obtain utility location markings. Contractor shall verify the location of all underground and overhead utilities including water, sewer, gas, electric, telephone, cable, and fiber optic lines.

Contractor assumes full responsibility and liability for damage to utilities that are not properly located, marked, or protected.

For demolition work, Contractor shall coordinate disconnection of all utilities with appropriate utility companies and the City prior to demolition. All underground utilities shall be properly capped, removed, or abandoned in place in accordance with applicable regulations and utility company requirements.

Section 11

Site Security and Public Safety

Contractor shall maintain adequate security fencing, barricades, warning signs, and lighting around the work site in accordance with OSHA standards and local ordinances. Contractor shall prevent unauthorized access to the site at all times and shall be responsible for any injuries or damage resulting from inadequate site security.

Contractor shall protect adjacent properties, structures, utilities, and landscaping from damage, dust, debris, vibration, and noise to the maximum extent practicable. Contractor shall be responsible for repairing any damage caused to adjacent properties.

Section 12

Dust Control and Environmental Protection

Contractor shall implement effective dust control measures including water spraying, barriers, covers, and sweeping as necessary to comply with North Carolina air quality standards and local ordinances. Dust control shall be maintained throughout all phases of work.

Contractor shall prevent sediment and erosion runoff in accordance with the North Carolina Sedimentation Pollution Control Act. Erosion control measures including silt fencing, sediment traps, and stabilization shall be installed prior to land disturbance and maintained throughout the project.

Section 13

Cleanup, Debris Removal and Disposal

Contractor agrees to remove all debris including but not limited to:

- Demolition debris (concrete, asphalt, brick, wood, metal, roofing materials, glass, fixtures) if demolition work
- Cleared vegetation, trees, stumps, brush, roots, and rocks if lot clearing work
- Any other materials generated from the work

Debris shall be removed from the site on a daily basis or as directed by the City. The site shall be kept in a clean, safe, and orderly condition at all times.

All materials shall be disposed of at facilities licensed to accept such waste in accordance with North Carolina solid waste regulations. No burning of debris is permitted unless specifically authorized in writing by the City and appropriate agencies. Contractor shall provide the City with disposal receipts and documentation upon request.

The site shall be graded to proper drainage specifications as shown in Exhibit A and left in a safe, level condition free of hazards, holes, protruding objects, stumps, roots, and debris. Topsoil shall be preserved and respread where specified. Final grades shall be smooth and free of ruts, depressions, and irregularities.

For demolition work, all concrete foundations, footings, slabs, and underground obstructions shall be removed to the depth specified in Exhibit A. All voids created by removal of underground structures shall be backfilled with suitable material and properly compacted.

The location will be returned to the condition specified in the contract documents upon completion of the work.

Section 14 Final Inspection and Acceptance

Upon completion of all work, Contractor shall notify the City in writing and request final inspection. The City shall conduct final inspection within five (5) business days of notification.

Work shall not be deemed complete, and final payment shall not be made, until: (a) The City issues written acceptance of the work (b) All required documentation is provided including disposal receipts, manifests, clearance certificates for asbestos or lead abatement (if applicable), and as-built drawings if required (c) The site meets all specifications in the contract documents (d) All deficiencies identified during final inspection are corrected

Any deficiencies identified during final inspection must be corrected within the timeframe specified by the City, not to exceed ten (10) calendar days unless otherwise agreed in writing.

Section 15 Federal Terms and Conditions (If Applicable)

☐ CHECK THIS BOX IF PROJECT IS FUNDED IN WHOLE OR IN PART BY HUD OR OTHER FEDERAL FUNDS

If the box above is checked, this project is funded in whole or in part by the U.S. Department of Housing and Urban Development (HUD) or other federal funding sources, and the following federal requirements apply in addition to all other terms of this Agreement:

(a) Equal Employment Opportunity: During the performance of this contract, the Contractor agrees as follows:

(1) The Contractor will not discriminate against any employee or applicant for employment because of race, color, religion, sex, sexual orientation, gender identity, or national origin. The Contractor will take affirmative action to ensure that applicants are employed, and that employees are treated during employment without regard to their race, color, religion, sex, sexual orientation, gender identity, or national origin. Such action shall include, but not be limited to the following: employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The Contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided setting forth the provisions of this nondiscrimination clause.

(2) The Contractor will, in all solicitations or advertisements for employees placed by or on behalf of the Contractor, state that all qualified applicants will receive considerations for employment without regard to race, color, religion, sex, sexual orientation, gender identity, or national origin.

(3) The Contractor will send to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding, a notice to be provided advising the said labor union or workers' representatives of the Contractor's commitments under this section, and shall post copies of the notice in conspicuous places available to employees and applicants for employment.

(4) The Contractor will comply with all provisions of Executive Order 11246 of September 24, 1965, and of the rules, regulations, and relevant orders of the Secretary of Labor.

(5) The Contractor will furnish all information and reports required by Executive Order 11246 of September 24, 1965, and by rules, regulations, and orders of the Secretary of Labor, or pursuant thereto, and will permit access to his books, records, and accounts by the administering agency and the Secretary of Labor for purposes of investigation to ascertain compliance with such rules, regulations, and orders.

(6) In the event of the Contractor's noncompliance with the nondiscrimination clauses of this contract or with any of the said rules, regulations, or orders, this contract may be canceled, terminated, or suspended in whole or in part and the Contractor may be declared ineligible for further Government contracts or federally assisted construction contracts in accordance with procedures authorized in Executive Order 11246 of September 24, 1965, and such other sanctions may be imposed and remedies invoked as provided in Executive Order 11246 of September 24, 1965, or by rule, regulation, or order of the Secretary of Labor, or as otherwise provided by law.

(7) The Contractor will include the portion of the sentence immediately preceding paragraph (1) and the provisions of paragraphs (1) through (7) in every subcontract or purchase order unless exempted by rules, regulations, or orders of the Secretary of Labor issued pursuant to section 204 of Executive Order 11246 of September 24, 1965, so that such provisions will be binding upon each subcontractor or vendor. The Contractor will take such action with respect to any subcontract or purchase order as the administering agency may direct as a means of enforcing such provisions, including sanctions for noncompliance: Provided, however, that in the event a Contractor becomes involved in, or is threatened with, litigation with a subcontractor or vendor as a result of such direction by the administering agency, the Contractor may request the United States to enter into such litigation to protect the interests of the United States.

(b) Davis-Bacon Act Requirements (If Applicable - Contracts Over \$2,000 and incidental to or preparatory for construction, alteration, or repair work): If this contract exceeds \$2,000 and involves the employment of mechanics or laborers, the following provisions apply:

(1) Minimum Wages: All laborers and mechanics employed or working upon the site of the work will be paid unconditionally and not less often than once a week, and without subsequent deduction or rebate on any account (except such payroll deductions as are permitted by regulations issued by the Secretary of Labor under the Copeland Act (29 CFR part 3)), the full amount of wages and bona fide fringe benefits (or cash equivalents thereof) due at time of payment computed at rates not less than those contained in the wage determination of the Secretary of Labor which is attached hereto and made a part hereof, regardless of any contractual relationship which may be alleged to exist between the Contractor and such laborers and mechanics.

(2) Withholding: The City shall upon its own action or upon written request of an authorized representative of the Department of Labor withhold or cause to be withheld from the Contractor under this contract or any other Federal contract with the same prime Contractor, or any other federally-assisted contract subject to Davis-Bacon prevailing wage requirements, which is held by the same prime Contractor, so much of the accrued payments or advances as may be considered necessary to pay laborers and mechanics, including apprentices, trainees, and helpers, employed by the Contractor or any subcontractor the full amount of wages required by the contract.

(3) Payrolls and Basic Records: Contractor shall maintain payrolls and basic payroll records during the course of the work and shall preserve them for a period of three years from the completion of the contract for all laborers and mechanics, apprentices, trainees, helpers, and guards working at the site of the work. Such records shall be available for inspection by authorized representatives of HUD and the Department of Labor and shall be in the form prescribed by the Department of Labor.

(4) Apprentices and Trainees: Apprentices, trainees, and helpers will be permitted to work at less than the predetermined rate for the work they performed when they are employed and individually registered in a bona fide apprenticeship or trainee program registered with the Department of Labor, Employment and Training Administration, or with a State apprenticeship agency recognized by the Employment and Training Administration, or if such person is in the first 90 days of probationary employment as an apprentice or trainee in such a program and is not individually registered in the program, but has been certified by the Employment and Training Administration or a State apprenticeship agency to be eligible for probationary employment as an apprentice or trainee.

(5) Compliance with Copeland Act Requirements: The Contractor shall comply with the requirements of 29 CFR part 3, which are incorporated by reference in this contract.

(6) Subcontracts: The Contractor or subcontractor shall insert in any subcontracts all of the stipulations contained in these Davis-Bacon labor standards provisions.

(7) Contract Termination: A breach of the labor standards provisions of paragraphs (b)(1) through (b)(6) above may be grounds for termination of the contract and for debarment as a Contractor and a subcontractor as provided in 29 CFR 5.12.

(c) Section 3 Requirements (HUD-Funded Projects): The work to be performed under this contract is subject to the requirements of section 3 of the Housing and Urban Development Act of 1968, as amended, 12 U.S.C. 1701u (section 3). The purpose of section 3 is to ensure that employment and other economic opportunities generated by HUD assistance or HUD-assisted projects covered by Section 3, shall, to the greatest extent feasible, be directed to low- and very low-income persons, particularly persons who are recipients of HUD assistance for housing.

(1) The parties to this contract agree to comply with HUD's regulations in 24 CFR part 75, which implement section 3. As evidenced by their execution of this contract, the parties to this contract certify that they are under no contractual or other impediment that would prevent them from complying with the part 75 regulations.

(2) The Contractor agrees to send to each labor organization or representative of workers with which the Contractor has a collective bargaining agreement or other understanding, if any, a notice advising the labor organization or workers' representative of the Contractor's commitments under this section 3 clause, and will post copies of the notice in conspicuous places at the work site where both employees and applicants for training and employment positions can see the notice.

(3) The Contractor agrees to include this section 3 clause in every subcontract subject to compliance with regulations in 24 CFR part 75, and agrees to take appropriate action, as provided in an applicable provision of the subcontract or in this section 3 clause, upon a finding that the subcontractor is in violation of the regulations in 24 CFR part 75.

(4) The Contractor will certify that any vacant employment positions, including training positions, that are filled (1) after the Contractor is selected but before the contract is executed, and (2) with persons other than those to whom the regulations of 24 CFR part 75 require employment opportunities to be directed, were not filled to circumvent the Contractor's obligations under 24 CFR part 75.

(5) Noncompliance with HUD's regulations in 24 CFR part 75 may result in sanctions, termination of this contract for default, and debarment or suspension from future HUD assisted contracts.

(d) Lead-Based Paint Requirements (HUD-Funded Demolition): For structures constructed prior to 1978 and are occupied at the time of demolition, the following lead-based paint requirements apply:

(1) The Contractor shall comply with the Lead-Based Paint Poisoning Prevention Act (42 U.S.C. 4821-4846), the Residential Lead-Based Paint Hazard Reduction Act of 1992 (42 U.S.C. 4851-4856), and implementing regulations at 24 CFR part 35 and 40 CFR part 745.

(2) Contractors performing demolition of residential structures shall comply with all notification and work practice requirements under the EPA RRP Rule and HUD Lead Safe Housing Rule.

(3) Warning signs shall be posted at the work site in accordance with 29 CFR 1926.62.

(e) Contract Work Hours and Safety Standards Act: Where applicable, all contracts awarded by the City in excess of \$100,000 that involve the employment of mechanics or laborers shall include a provision for compliance with 40 U.S.C. 3702 and 3704, as supplemented by Department of Labor regulations (29 CFR Part 5). Under 40 U.S.C. 3702 of the Act, each contractor shall compute the wages of every mechanic and laborer on the basis of a standard work week of 40 hours. Work in excess of the standard work week is permissible provided that the worker is compensated at a rate of not less than one and a half times the basic rate of pay for all hours worked in excess of 40 hours in the work week.

(f) Debarment and Suspension: Contractor certifies that neither it nor its principals are presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation in this transaction by any Federal department or agency. Contractor shall provide immediate written notice to City if at any time it learns that this certification was erroneous when submitted or has become erroneous by reason of changed circumstances.

(g) Byrd Anti-Lobbying Amendment (31 U.S.C. 1352): Contractors who apply or bid for an award of \$100,000 or more shall file the required certification regarding lobbying. Each tier certifies to the tier above that it will not and has not used Federal appropriated funds to pay any person or organization for influencing or attempting to influence an officer or employee of any agency, a member of Congress, officer or employee of Congress, or an employee of a member of Congress in connection with obtaining any Federal contract, grant, or any other award covered by 31 U.S.C. 1352.

(h) Procurement of Recovered Materials (2 CFR 200.322): The Contractor agrees to comply with section 6002 of the Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act. The requirements of Section 6002 include procuring only items designated in guidelines of the Environmental Protection Agency (EPA) at 40 CFR part 247 that contain the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition, where the purchase price of the item exceeds \$10,000 or the value of the quantity acquired during the preceding fiscal year exceeded \$10,000.

(i) Rights to Inventions Made Under a Contract or Agreement: If the Federal award meets the definition of "funding agreement" under 37 CFR §401.2 (a) and the recipient or subrecipient wishes to enter into a contract with a small business firm or nonprofit organization regarding the substitution of parties, assignment or performance of experimental, developmental, or research work under that "funding agreement," the recipient or subrecipient must comply with the requirements of 37 CFR Part 401, "Rights to Inventions Made by Nonprofit Organizations and Small Business Firms Under Government Grants, Contracts and Cooperative Agreements," and any implementing regulations issued by the awarding agency.

(j) Clean Air Act and Federal Water Pollution Control Act: Contractor agrees to comply with all applicable standards, orders or regulations issued pursuant to the Clean Air Act (42 U.S.C. 7401-7671q) and the Federal Water Pollution Control Act as amended (33 U.S.C. 1251-1387). Contractor agrees to report violations to HUD and the appropriate EPA Regional Office.

(k) Energy Efficiency: The Contractor shall comply with mandatory standards and policies relating to energy efficiency which are contained in the state energy conservation plan issued in compliance with the Energy Policy and Conservation Act (42 U.S.C. 6201).

(l) Non-Discrimination and Equal Opportunity: The Contractor shall comply with Title VI of the Civil Rights Act of 1964 (42 U.S.C. 2000d et seq.), the Fair Housing Act (42 U.S.C. 3601-19), Executive Order 11063, Section 504 of the Rehabilitation Act of 1973 (29 U.S.C. 794), the Age Discrimination Act of 1975 (42 U.S.C. 6101-07), Title II of the Americans with Disabilities Act (42 U.S.C. 12101 et seq.), and 24 CFR part 1.

(m) Conflict of Interest: No employee, agent, consultant, officer, or elected official or appointed official of the City, or of any designated public agencies, or of subrecipients who exercise or have exercised any functions or responsibilities with respect to assisted activities, or who are in a position to participate in a decision-making process or gain inside information with regard to such activities, may obtain a financial interest or benefit from the activity, or have an interest in any contract, subcontract or agreement with respect thereto, or the proceeds thereunder, either for themselves or those with whom they have family or business ties, during their tenure or for one year thereafter, unless a waiver is granted.

(n) Environmental Review: The Contractor shall not begin physical construction (including demolition) until the City has provided written notification to proceed following completion of the environmental review process required by the National Environmental Policy Act (NEPA) and 24 CFR Part 58. Contractors who begin work prior to receiving this authorization do so at their own risk and the City may be prohibited from using federal funds for the contract.

(o) Historic Preservation: The Contractor shall comply with the National Historic Preservation Act of 1966, as amended (16 U.S.C. 470 et seq.) and with the procedures set forth in 36 CFR Part 800, Advisory Council on Historic Preservation Procedures for Protection of Historic Properties. If historic properties or archaeological resources are discovered during demolition or site clearing, Contractor shall immediately cease work and notify the City.

(p) Access to Records and Audits: The Contractor agrees to provide the City, HUD, the Comptroller General of the United States, or any of their authorized representatives access to any books, documents, papers, and records of the Contractor which are directly pertinent to this contract for the purposes of making audits, examinations, excerpts, and transcriptions. The Contractor agrees to maintain all required records for three years after final payment and all other pending matters are closed.

(q) Federal Prevailing Wage Rates: If applicable, wage rates for this project are established by the U.S. Department of Labor and are attached as Exhibit B - Federal Wage Decision. All laborers and mechanics must be paid no less than the applicable wage rates.

Section 16

City's Terms Supersede

To the extent a conflict exists between the terms of this Agreement and the terms and conditions in any of the attachments to the Agreement, the terms of this Agreement shall govern, except that if federal funding is involved and federal requirements are more restrictive, the federal requirements shall govern.

Section 17

E-Verify

Contractor acknowledges that "E-Verify" is the federal E-Verify program operated by the U.S. Department of Homeland Security and other federal agencies which is used to verify the work authorization of newly hired employees pursuant to federal law and in accordance with Article 2, Chapter 64 of the North Carolina General Statutes. Contractor further acknowledges that all employers, as defined by Article 2, Chapter 64 of the North Carolina General Statutes, must use E-Verify and after hiring an employee to work in the United States, shall verify the work authorization of the employee through E-Verify in accordance with NCGS §64-26(a). Contractor pledges, attests and warrants through execution of this Agreement that Contractor complies with the requirements of Article 2 of Chapter 64 of the North Carolina General Statutes and further pledges, attests and warrants that any subcontractors currently employed by or subsequently hired by Contractor shall comply with any and all E-Verify requirements. Failure to comply with the above requirements shall be considered a breach of this Agreement.

Section 18

Other Provisions

(a) Binding Effect - This Agreement shall be binding on and inure to the benefit of the Parties hereto, their successors and assigns.

(b) Nondiscrimination - The Contractor agrees not to discriminate by reason of age, race, religion, color, sex, national origin, disability or other applicable federal, state or local law while performing the services required herein.

(c) Morality Clause - If, in the sole opinion of the City, at any time Contractor any of its owner(s) or employee(s) or agent(s) (collectively referenced as an "Actor") engages in any one or more of the actions below, the City may immediately upon written notice to Contractor, terminate this Agreement, in addition to any other rights and remedies that the City may have hereunder or at law or in equity:

1. bring disrepute, contempt, scandal, or public ridicule to the Actor;
2. subject the Actor to prosecution;
3. offend the community or public morals/decency;
4. denigrate individuals or groups in the community served by the City;
5. is scandalous or inconsistent with community standards or good citizenship;
6. adversely affect the City's finances, public standing, image, or reputation;
7. is embarrassing or offensive to the City or may reflect unfavorably on the City; and,
8. is derogatory or offensive to one or more employee(s) or customer(s) of the City.

(d) Assignment - It is the intent of this Agreement to secure the services of Contractor and failure of Contractor for any reason to make the services available to the City for the purposes described in this Agreement shall be cause for termination of this Agreement. Contractor shall not assign this Agreement without prior written consent of the City.

(e) Governing Law - The validity, interpretation and execution of this Agreement and the performance of and right accruing under this Agreement are all to be governed by the laws of North Carolina.

(f) Venue and Forum Selection - The Parties expressly agree that if litigation is brought in connection with this Agreement and (1) the litigation proceeds in the Courts of the State of North Carolina, the Parties agree that the appropriate venue shall be in Cumberland County (Fourteenth Judicial District of North Carolina); or (2) the litigation proceeds in a federal court, the Parties agree that the appropriate venue shall be the United States District Court for the Eastern District of North Carolina.

(g) Compliance with Laws - Contractor agrees to comply with all applicable statutes, ordinances, and regulations of the United States, the State of North Carolina, the City and other units of local government.

(h) Entire Agreement - This Agreement constitutes the entire agreement between the Parties.

(i) Independent Contractor - Contractor shall undertake performance of the services pursuant to the terms of this Agreement as an Independent Contractor. Contractor shall be wholly responsible for the methods, means and techniques of performance. City shall have no right to supervise methods and techniques of performance employed by Contractor but City shall have the right to observe such performance.

(j) Severability - The Parties agree that if any provision of this Agreement shall be held invalid for any reason, the remaining provisions shall not be affected if they may continue to conform to the purposes of this Agreement and the requirements of applicable law.

(k) Non-Appropriation Clause - Notwithstanding any other provisions of this Agreement, the Parties agree that payments due hereunder from the City are from appropriations and monies from the City Council and any other governmental entities. In the event sufficient appropriations or monies are not made available to the City to pay the terms of this Agreement for any fiscal year, this Agreement shall terminate immediately without further obligation of the City.

(l) Force Majeure - Neither Party shall be deemed to be in default of its obligations hereunder if and so long as it is prevented from performing such obligations by an act of war, hostile foreign actions, adverse governmental actions, nuclear explosion, earthquake, hurricane, tornado or other catastrophic natural event or act of God.

(m) Termination for Cause - If Contractor shall at any time materially breach or default on any obligation under this Agreement, the City shall provide Contractor with written notice specifying the nature of the breach or default. Contractor shall have thirty (30) calendar days from receipt of

such notice to cure the breach or default to the reasonable satisfaction of the City. If Contractor fails to cure the breach or default within the thirty (30) day cure period, or if the breach or default is not capable of being cured within such period and Contractor fails to commence substantial efforts to cure within such period and diligently pursue such cure to completion, the City may terminate this Agreement effective immediately upon providing written notice of termination to Contractor. Upon termination for cause, Contractor shall refund any unused funds to City within thirty (30) calendar days of the effective date of termination. Unused funds shall mean, for the purposes of this Agreement, any funds appropriated by City that are not needed to satisfy any outstanding indebtedness of the Contractor associated with Section 1, Scope of Work, as validated by the City, on the effective date of termination. Notwithstanding the foregoing, if the breach involves fraud, misappropriation of funds, criminal activity, or conduct that poses an immediate threat to public health or safety, the City may terminate this Agreement immediately without providing an opportunity to cure.

(n) Termination for Convenience - The City may, without cause and in its sole discretion, terminate this Agreement at any time by providing Contractor with thirty (30) calendar days advance written notice of termination. The written notice shall specify the effective date of termination. Upon receipt of such notice, Contractor shall: (a) cease performance of services under this Agreement as of the effective date of termination, except for those services specifically authorized by the City to facilitate an orderly termination; (b) take all reasonable steps to mitigate costs and expenses associated with the termination; and (c) cooperate with the City to ensure a smooth transition of any ongoing services or activities. Within thirty (30) calendar days following the effective date of termination, Contractor shall refund to the City any unused funds. Unused funds shall mean, for the purposes of this Agreement, any funds appropriated by City that are not needed to satisfy any outstanding indebtedness of the Contractor associated with Paragraph 2, Services to be Performed, as validated by the City on the effective date of termination. Termination for convenience shall not constitute a breach of this Agreement by either party, and the City shall not be liable for any costs, expenses, or damages beyond those obligations incurred by Contractor prior to the effective date of termination for services actually rendered in accordance with this Agreement.

(o) Divestment of Companies Boycotting Israel or Investing in Iran Certification - Contractor certifies that: (i) it is not identified on the Final Divestment List or any other list of prohibited investments created by the NC State Treasurer pursuant to N.C.G.S. 147-86.58; (ii) it has not been designated by the NC State Treasurer pursuant to N.C.G.S. 147-86.81 as a company engaged in the boycott of Israel ((i) and (ii) to be collectively referred to as "FD Lists"); and (iii) it will not take any action causing it to appear on the Treasurer's FD Lists created by the NC State Treasurer during the term of this Agreement. By signing this Agreement, Contractor further agrees, as an independent obligation, separate and apart from this Agreement, to reimburse the City for any and all damages, costs and attorneys' fees incurred by the City in connection with any claim that this Agreement or any part thereof is void due to Contractor appearing on the Treasurer's FD Lists at any time before or during the term of this Agreement.

(p) Survival of Terms - All warranties, covenants, and representations contained within this Agreement and all applicable work authorizations, if any, shall continue in full force and effect for three (3) years after the execution and delivery of the final product, act, or service taken in

furtherance of this Agreement. Survivability shall not be impacted, or otherwise shall not be rendered null or void, by the termination or natural expiration of this Agreement or other applicable work undertaken in furtherance of this Agreement.

(q) Amendment - The City and Contractor may, from time to time, request changes in services to be performed by Contractor. Any such changes that are mutually agreed upon by the City and Contractor shall be incorporated herein by written amendment to this Agreement. It is mutually agreed and understood that no modification, addition or deletion to this Agreement shall be effective unless and until such changes are reduced to writing and executed by the authorized officers of each Party. Any oral understanding or agreements not incorporated herein, unless made in writing and signed by the Parties hereto, shall not be binding.

DRAFT

EXHIBIT A

DRAFT